

---

**Subject: kernel errors in syslog**Posted by [barf](#) on Thu, 05 Jul 2007 03:29:41 GMT[View Forum Message](#) <> [Reply to Message](#)

---

Hello everyone,

I'm frequently seeing errors in the logs upon VE start and during a heavy I/O (cp /something /somewhere on HN) I had a lockup and kernel panic but did not have a serial console attached to catch the panic message sorry.

Is this a bug? I found [http://bugzilla.openvz.org/show\\_bug.cgi?id=470](http://bugzilla.openvz.org/show_bug.cgi?id=470) with similar problem but it says the bug is fixed(?)

the errors look like this:

```
> Jul 6 02:20:09 server01 kernel: lockd_down: no lockd running.
> Jul 6 02:20:11 server01 kernel: VE: 104: stopped
> Jul 6 02:20:12 server01 kernel: VE: 104: started
> Jul 6 02:20:26 server01 kernel: kernel_thread call inside VE
> Jul 6 02:20:26 server01 kernel: [
```

```

> Jul 6 03:03:13 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
> Jul 6 03:03:13 server01 kernel: [<f8f05ff3>] nfs_get_sb+0x513/0x7f0 [nfs]
> Jul 6 03:03:13 server01 kernel: [<f8f04c00>] nfs_compare_super+0x0/0x80 [nfs]
> Jul 6 03:03:13 server01 kernel: [<f8f04be0>] nfs_set_super+0x0/0x20 [nfs]
> Jul 6 03:03:13 server01 kernel: [<c0172b4c>] vfs_kern_mount+0x4c/0xa0
> Jul 6 03:03:13 server01 kernel: [<c0172c12>] do_kern_mount+0x42/0x60
> Jul 6 03:03:13 server01 kernel: [<c018aa8d>] do_mount+0x26d/0x7a0
> Jul 6 03:03:13 server01 kernel: [<c013842a>] ub_slab_charge+0x7a/0x140
> Jul 6 03:03:13 server01 kernel: [<c03fc6b6>] inet_csk_get_port+0x136/0x280
> Jul 6 03:03:13 server01 kernel: [<c041ccd9>] inet_bind+0xd9/0x210
> Jul 6 03:03:13 server01 kernel: [<c013c1ef>] pb_free+0x1f/0x30
> Jul 6 03:03:13 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
> Jul 6 03:03:13 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
> Jul 6 03:03:13 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
> Jul 6 03:03:13 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
> Jul 6 03:03:13 server01 kernel: lockd_up: create thread failed, error=-1
> Jul 6 03:05:05 server01 kernel: VE: 104: stopped
> Jul 6 03:05:09 server01 kernel: VE: 104: started
> Jul 6 03:05:23 server01 kernel: kernel_thread call inside VE
> Jul 6 03:05:23 server01 kernel: [<c0101569>] kernel_thread+0xc9/0xd0
> Jul 6 03:05:23 server01 kernel: [<c01505ec>] __alloc_pages+0x2ac/0x370
> Jul 6 03:05:23 server01 kernel: [<f8ea3080>] svc_create_thread+0x130/0x160 [sunrpc]
> Jul 6 03:05:23 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
> Jul 6 03:05:23 server01 kernel: [<f8e892dc>] lockd_up+0xfc/0x190 [lockd]
> Jul 6 03:05:23 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
> Jul 6 03:05:23 server01 kernel: [<f8f05ff3>] nfs_get_sb+0x513/0x7f0 [nfs]
> Jul 6 03:05:23 server01 kernel: [<f8f04c00>] nfs_compare_super+0x0/0x80 [nfs]
> Jul 6 03:05:23 server01 kernel: [<f8f04be0>] nfs_set_super+0x0/0x20 [nfs]
> Jul 6 03:05:23 server01 kernel: [<c0172b4c>] vfs_kern_mount+0x4c/0xa0
> Jul 6 03:05:23 server01 kernel: [<c0172c12>] do_kern_mount+0x42/0x60
> Jul 6 03:05:23 server01 kernel: [<c018aa8d>] do_mount+0x26d/0x7a0
> Jul 6 03:05:23 server01 kernel: [<c013842a>] ub_slab_charge+0x7a/0x140
> Jul 6 03:05:23 server01 kernel: [<c03fc6b6>] inet_csk_get_port+0x136/0x280
> Jul 6 03:05:23 server01 kernel: [<c041ccd9>] inet_bind+0xd9/0x210
> Jul 6 03:05:23 server01 kernel: [<c013c1ef>] pb_free+0x1f/0x30
> Jul 6 03:05:23 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
> Jul 6 03:05:23 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
> Jul 6 03:05:23 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
> Jul 6 03:05:23 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
> Jul 6 03:05:23 server01 kernel: lockd_up: create thread failed, error=-1
>
>

```

some other info:

```
server01:~# uname -a
```

```
Linux server01 2.6.18-028stab035.1-ovz #1 Wed Jun 13 21:25:54 CEST 2007 i686 GNU/Linux
```

```
server01:~# cat /proc/version
```

```
Linux version 2.6.18-028stab035.1-ovz (tsd@debian.sysys.org) (gcc version 4.1.2 20061115
```

(prerelease) (Debian 4.1.1-21)) #1 Wed Jun 13 21:25:54 CEST 2007

using debian etch with packages from sysfs.org - are the CentOS kernels more stable?

Thanks,  
Stuart.

---

Subject: Re: kernel errors in syslog  
Posted by [Thorsten Schifferdeck](#) on Thu, 05 Jul 2007 05:36:46 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Stuart,

Stuart MacIntosh schrieb:

> Hello everyone,  
> I'm frequently seeing errors in the logs upon VE start and during a  
> heavy I/O (cp /something /somewhere on HN) I had a lockup and kernel  
> panic but did not have a serial console attached to catch the panic  
> message sorry.

What shows 'cat /proc/sys/kernel/ve\_allow\_kthreads' ?

>  
> Is this a bug? I found [http://bugzilla.openvz.org/show\\_bug.cgi?id=470](http://bugzilla.openvz.org/show_bug.cgi?id=470)  
> with similar problem but it says the bug is fixed(?)  
>  
> the errors look like this:  
>> Jul 6 02:20:09 server01 kernel: lockd\_down: no lockd running.  
>> Jul 6 02:20:11 server01 kernel: VE: 104: stopped  
>> Jul 6 02:20:12 server01 kernel: VE: 104: started  
>> Jul 6 02:20:26 server01 kernel: kernel\_thread call inside VE  
>> Jul 6 02:20:26 server01 kernel: [>> Jul 6 02:20:26 server01 kernel: [

```
>> Jul 6 02:20:26 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
>> Jul 6 02:20:26 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
>> Jul 6 02:20:26 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
>> Jul 6 02:20:26 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
>> Jul 6 02:20:26 server01 kernel: lockd_up: create thread failed, error=-1
>> Jul 6 02:43:29 server01 -- MARK --
>> Jul 6 03:02:43 server01 kernel: VE: 104: stopped
>> Jul 6 03:02:43 server01 kernel: VE: 104: started
>> Jul 6 03:03:13 server01 kernel: kernel_thread call inside VE
>> Jul 6 03:03:13 server01 kernel: [<c0101569>] kernel_thread+0xc9/0xd0
>> Jul 6 03:03:13 server01 kernel: [<c01505ec>] __alloc_pages+0x2ac/0x370
>> Jul 6 03:03:13 server01 kernel: [<f8ea3080>] svc_create_thread+0x130/0x160 [sunrpc]
>> Jul 6 03:03:13 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>> Jul 6 03:03:13 server01 kernel: [<f8e892dc>] lockd_up+0xfc/0x190 [lockd]
>> Jul 6 03:03:13 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>> Jul 6 03:03:13 server01 kernel: [<f8f05ff3>] nfs_get_sb+0x513/0x7f0 [nfs]
>> Jul 6 03:03:13 server01 kernel: [<f8f04c00>] nfs_compare_super+0x0/0x80 [nfs]
>> Jul 6 03:03:13 server01 kernel: [<f8f04be0>] nfs_set_super+0x0/0x20 [nfs]
>> Jul 6 03:03:13 server01 kernel: [<c0172b4c>] vfs_kern_mount+0x4c/0xa0
>> Jul 6 03:03:13 server01 kernel: [<c0172c12>] do_kern_mount+0x42/0x60
>> Jul 6 03:03:13 server01 kernel: [<c018aa8d>] do_mount+0x26d/0x7a0
>> Jul 6 03:03:13 server01 kernel: [<c013842a>] ub_slab_charge+0x7a/0x140
>> Jul 6 03:03:13 server01 kernel: [<c03fc6b6>] inet_csk_get_port+0x136/0x280
>> Jul 6 03:03:13 server01 kernel: [<c041ccd9>] inet_bind+0xd9/0x210
>> Jul 6 03:03:13 server01 kernel: [<c013c1ef>] pb_free+0x1f/0x30
>> Jul 6 03:03:13 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
>> Jul 6 03:03:13 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
>> Jul 6 03:03:13 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
>> Jul 6 03:03:13 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
>> Jul 6 03:03:13 server01 kernel: lockd_up: create thread failed, error=-1
>> Jul 6 03:05:05 server01 kernel: VE: 104: stopped
>> Jul 6 03:05:09 server01 kernel: VE: 104: started
>> Jul 6 03:05:23 server01 kernel: kernel_thread call inside VE
>> Jul 6 03:05:23 server01 kernel: [<c0101569>] kernel_thread+0xc9/0xd0
>> Jul 6 03:05:23 server01 kernel: [<c01505ec>] __alloc_pages+0x2ac/0x370
>> Jul 6 03:05:23 server01 kernel: [<f8ea3080>] svc_create_thread+0x130/0x160 [sunrpc]
>> Jul 6 03:05:23 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>> Jul 6 03:05:23 server01 kernel: [<f8e892dc>] lockd_up+0xfc/0x190 [lockd]
>> Jul 6 03:05:23 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>> Jul 6 03:05:23 server01 kernel: [<f8f05ff3>] nfs_get_sb+0x513/0x7f0 [nfs]
>> Jul 6 03:05:23 server01 kernel: [<f8f04c00>] nfs_compare_super+0x0/0x80 [nfs]
>> Jul 6 03:05:23 server01 kernel: [<f8f04be0>] nfs_set_super+0x0/0x20 [nfs]
>> Jul 6 03:05:23 server01 kernel: [<c0172b4c>] vfs_kern_mount+0x4c/0xa0
>> Jul 6 03:05:23 server01 kernel: [<c0172c12>] do_kern_mount+0x42/0x60
>> Jul 6 03:05:23 server01 kernel: [<c018aa8d>] do_mount+0x26d/0x7a0
>> Jul 6 03:05:23 server01 kernel: [<c013842a>] ub_slab_charge+0x7a/0x140
>> Jul 6 03:05:23 server01 kernel: [<c03fc6b6>] inet_csk_get_port+0x136/0x280
>> Jul 6 03:05:23 server01 kernel: [<c041ccd9>] inet_bind+0xd9/0x210
```

```
>> Jul 6 03:05:23 server01 kernel: [<c013c1ef>] pb_free+0x1f/0x30
>> Jul 6 03:05:23 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
>> Jul 6 03:05:23 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
>> Jul 6 03:05:23 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
>> Jul 6 03:05:23 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
>> Jul 6 03:05:23 server01 kernel: lockd_up: create thread failed, error=-1
>>
>>
>
> some other info:
> server01:~# uname -a
> Linux server01 2.6.18-028stab035.1-ovz #1 Wed Jun 13 21:25:54 CEST 2007 i686 GNU/Linux
> server01:~# cat /proc/version
> Linux version 2.6.18-028stab035.1-ovz (tsd@debian.systs.org) (gcc version 4.1.2 20061115
(prerelease) (Debian 4.1.1-21)) #1 Wed Jun 13 21:25:54 CEST 2007
>
> using debian etch with packages from systs.org - are the CentOS kernels more stable?
```

Regards,  
Thorsten Schifferdecker

---

---

Subject: Re: kernel errors in syslog  
Posted by [dev](#) on Thu, 05 Jul 2007 08:11:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Stuart,

it looks like you are using NFS inside VE,  
so kthreads should be allowed via:  
# echo 1 > /proc/sys/kernel/ve\_allow\_kthreads

and these call traces will go away.

If you experience a lockup again, please press Alt-SysRq-P multiple times  
and Alt-SysRq-T and provide the output  
(it can be collected e.g. via net or serial console)

Thanks,  
Kirill

Stuart MacIntosh wrote:

```
> Hello everyone,
> I'm frequently seeing errors in the logs upon VE start and during a
> heavy I/O (cp /something /somewhere on HN) I had a lockup and kernel
> panic but did not have a serial console attached to catch the panic
> message sorry.
>
```

> Is this a bug? I found [http://bugzilla.openvz.org/show\\_bug.cgi?id=470](http://bugzilla.openvz.org/show_bug.cgi?id=470)  
> with similar problem but it says the bug is fixed(?)  
>

> the errors look like this:

```
>
>>Jul 6 02:20:09 server01 kernel: lockd_down: no lockd running.
>>Jul 6 02:20:11 server01 kernel: VE: 104: stopped
>>Jul 6 02:20:12 server01 kernel: VE: 104: started
>>Jul 6 02:20:26 server01 kernel: kernel_thread call inside VE
>>Jul 6 02:20:26 server01 kernel: [<c0101569>] kernel_thread+0xc9/0xd0
>>Jul 6 02:20:26 server01 kernel: [<c01505ec>] __alloc_pages+0x2ac/0x370
>>Jul 6 02:20:26 server01 kernel: [<f8ea3080>] svc_create_thread+0x130/0x160 [sunrpc]
>>Jul 6 02:20:26 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>>Jul 6 02:20:26 server01 kernel: [<f8e892dc>] lockd_up+0xfc/0x190 [lockd]
>>Jul 6 02:20:26 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>>Jul 6 02:20:26 server01 kernel: [<f8f05ff3>] nfs_get_sb+0x513/0x7f0 [nfs]
>>Jul 6 02:20:26 server01 kernel: [<f8f04c00>] nfs_compare_super+0x0/0x80 [nfs]
>>Jul 6 02:20:26 server01 kernel: [<f8f04be0>] nfs_set_super+0x0/0x20 [nfs]
>>Jul 6 02:20:26 server01 kernel: [<c0172b4c>] vfs_kern_mount+0x4c/0xa0
>>Jul 6 02:20:26 server01 kernel: [<c0172c12>] do_kern_mount+0x42/0x60
>>Jul 6 02:20:26 server01 kernel: [<c018aa8d>] do_mount+0x26d/0x7a0
>>Jul 6 02:20:26 server01 kernel: [<c013842a>] ub_slab_charge+0x7a/0x140
>>Jul 6 02:20:26 server01 kernel: [<c03fc6b6>] inet_csk_get_port+0x136/0x280
>>Jul 6 02:20:26 server01 kernel: [<c041ccd9>] inet_bind+0xd9/0x210
>>Jul 6 02:20:26 server01 kernel: [<c013c1ef>] pb_free+0x1f/0x30
>>Jul 6 02:20:26 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
>>Jul 6 02:20:26 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
>>Jul 6 02:20:26 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
>>Jul 6 02:20:26 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
>>Jul 6 02:20:26 server01 kernel: lockd_up: create thread failed, error=-1
>>Jul 6 02:43:29 server01 -- MARK --
>>Jul 6 03:02:43 server01 kernel: VE: 104: stopped
>>Jul 6 03:02:43 server01 kernel: VE: 104: started
>>Jul 6 03:03:13 server01 kernel: kernel_thread call inside VE
>>Jul 6 03:03:13 server01 kernel: [<c0101569>] kernel_thread+0xc9/0xd0
>>Jul 6 03:03:13 server01 kernel: [<c01505ec>] __alloc_pages+0x2ac/0x370
>>Jul 6 03:03:13 server01 kernel: [<f8ea3080>] svc_create_thread+0x130/0x160 [sunrpc]
>>Jul 6 03:03:13 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>>Jul 6 03:03:13 server01 kernel: [<f8e892dc>] lockd_up+0xfc/0x190 [lockd]
>>Jul 6 03:03:13 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>>Jul 6 03:03:13 server01 kernel: [<f8f05ff3>] nfs_get_sb+0x513/0x7f0 [nfs]
>>Jul 6 03:03:13 server01 kernel: [<f8f04c00>] nfs_compare_super+0x0/0x80 [nfs]
>>Jul 6 03:03:13 server01 kernel: [<f8f04be0>] nfs_set_super+0x0/0x20 [nfs]
>>Jul 6 03:03:13 server01 kernel: [<c0172b4c>] vfs_kern_mount+0x4c/0xa0
>>Jul 6 03:03:13 server01 kernel: [<c0172c12>] do_kern_mount+0x42/0x60
>>Jul 6 03:03:13 server01 kernel: [<c018aa8d>] do_mount+0x26d/0x7a0
>>Jul 6 03:03:13 server01 kernel: [<c013842a>] ub_slab_charge+0x7a/0x140
>>Jul 6 03:03:13 server01 kernel: [<c03fc6b6>] inet_csk_get_port+0x136/0x280
```

```
>>Jul 6 03:03:13 server01 kernel: [<c041ccd9>] inet_bind+0xd9/0x210
>>Jul 6 03:03:13 server01 kernel: [<c013c1ef>] pb_free+0x1f/0x30
>>Jul 6 03:03:13 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
>>Jul 6 03:03:13 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
>>Jul 6 03:03:13 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
>>Jul 6 03:03:13 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
>>Jul 6 03:03:13 server01 kernel: lockd_up: create thread failed, error=-1
>>Jul 6 03:05:05 server01 kernel: VE: 104: stopped
>>Jul 6 03:05:09 server01 kernel: VE: 104: started
>>Jul 6 03:05:23 server01 kernel: kernel_thread call inside VE
>>Jul 6 03:05:23 server01 kernel: [<c0101569>] kernel_thread+0xc9/0xd0
>>Jul 6 03:05:23 server01 kernel: [<c01505ec>] __alloc_pages+0x2ac/0x370
>>Jul 6 03:05:23 server01 kernel: [<f8ea3080>] svc_create_thread+0x130/0x160 [sunrpc]
>>Jul 6 03:05:23 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>>Jul 6 03:05:23 server01 kernel: [<f8e892dc>] lockd_up+0xfc/0x190 [lockd]
>>Jul 6 03:05:23 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>>Jul 6 03:05:23 server01 kernel: [<f8f05ff3>] nfs_get_sb+0x513/0x7f0 [nfs]
>>Jul 6 03:05:23 server01 kernel: [<f8f04c00>] nfs_compare_super+0x0/0x80 [nfs]
>>Jul 6 03:05:23 server01 kernel: [<f8f04be0>] nfs_set_super+0x0/0x20 [nfs]
>>Jul 6 03:05:23 server01 kernel: [<c0172b4c>] vfs_kern_mount+0x4c/0xa0
>>Jul 6 03:05:23 server01 kernel: [<c0172c12>] do_kern_mount+0x42/0x60
>>Jul 6 03:05:23 server01 kernel: [<c018aa8d>] do_mount+0x26d/0x7a0
>>Jul 6 03:05:23 server01 kernel: [<c013842a>] ub_slab_charge+0x7a/0x140
>>Jul 6 03:05:23 server01 kernel: [<c03fc6b6>] inet_csk_get_port+0x136/0x280
>>Jul 6 03:05:23 server01 kernel: [<c041ccd9>] inet_bind+0xd9/0x210
>>Jul 6 03:05:23 server01 kernel: [<c013c1ef>] pb_free+0x1f/0x30
>>Jul 6 03:05:23 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
>>Jul 6 03:05:23 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
>>Jul 6 03:05:23 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
>>Jul 6 03:05:23 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
>>Jul 6 03:05:23 server01 kernel: lockd_up: create thread failed, error=-1
>>
>>
>
>
> some other info:
> server01:~# uname -a
> Linux server01 2.6.18-028stab035.1-ovz #1 Wed Jun 13 21:25:54 CEST 2007 i686 GNU/Linux
> server01:~# cat /proc/version
> Linux version 2.6.18-028stab035.1-ovz (tsd@debian.systs.org) (gcc version 4.1.2 20061115
(prerelease) (Debian 4.1.1-21)) #1 Wed Jun 13 21:25:54 CEST 2007
>
> using debian etch with packages from systs.org - are the CentOS kernels more stable?
>
> Thanks,
> Stuart.
>
```

Subject: Re: kernel errors in syslog  
Posted by [kir](#) on Fri, 06 Jul 2007 21:08:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Kirill Korotaev wrote:

> Stuart,

>

> it looks like you are using NFS inside VE,

> so kthreads should be allowed via:

> # echo 1 > /proc/sys/kernel/ve\_allow\_kthreads

>

Our wiki (<http://wiki.openvz.org/NFS>) says it's only required for 2.6.9.

Kirill, do I need to change that?

> and these call traces will go away.

>

> If you experience a lockup again, please press Alt-SysRq-P multiple times

> and Alt-SysRq-T and provide the output

> (it can be collected e.g. via net or serial console)

>

Right, you can try using netconsole, its setup is described here:

[http://wiki.openvz.org/Remote\\_console\\_setup#Netconsole](http://wiki.openvz.org/Remote_console_setup#Netconsole)

> Thanks,

> Kirill

>

> Stuart MacIntosh wrote:

>

>> Hello everyone,

>> I'm frequently seeing errors in the logs upon VE start and during a

>> heavy I/O (cp /something /somewhere on HN) I had a lockup and kernel

>> panic but did not have a serial console attached to catch the panic

>> message sorry.

>>

>> Is this a bug? I found [http://bugzilla.openvz.org/show\\_bug.cgi?id=470](http://bugzilla.openvz.org/show_bug.cgi?id=470)

>> with similar problem but it says the bug is fixed(?)

>>

>> the errors look like this:

>>

>>

>>> Jul 6 02:20:09 server01 kernel: lockd\_down: no lockd running.

>>> Jul 6 02:20:11 server01 kernel: VE: 104: stopped

>>> Jul 6 02:20:12 server01 kernel: VE: 104: started

>>> Jul 6 02:20:26 server01 kernel: kernel\_thread call inside VE

>>> Jul 6 02:20:26 server01 kernel: [

>>> Jul 6 02:20:26 server01 kernel: [

>>> Jul 6 02:20:26 server01 kernel: [<f8ea3080>] svc\_create\_thread+0x130/0x160 [sunrpc]

>>> Jul 6 02:20:26 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]

>>> Jul 6 02:20:26 server01 kernel: [<f8e892dc>] lockd\_up+0xfc/0x190 [lockd]

>>> Jul 6 02:20:26 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]

>>> Jul 6 02:20:26 server01 kernel: [<f8f05ff3>] nfs\_get\_sb+0x513/0x7f0 [nfs]

```

>>> Jul 6 02:20:26 server01 kernel: [<f8f04c00>] nfs_compare_super+0x0/0x80 [nfs]
>>> Jul 6 02:20:26 server01 kernel: [<f8f04be0>] nfs_set_super+0x0/0x20 [nfs]
>>> Jul 6 02:20:26 server01 kernel: [<c0172b4c>] vfs_kern_mount+0x4c/0xa0
>>> Jul 6 02:20:26 server01 kernel: [<c0172c12>] do_kern_mount+0x42/0x60
>>> Jul 6 02:20:26 server01 kernel: [<c018aa8d>] do_mount+0x26d/0x7a0
>>> Jul 6 02:20:26 server01 kernel: [<c013842a>] ub_slab_charge+0x7a/0x140
>>> Jul 6 02:20:26 server01 kernel: [<c03fc6b6>] inet_csk_get_port+0x136/0x280
>>> Jul 6 02:20:26 server01 kernel: [<c041ccd9>] inet_bind+0xd9/0x210
>>> Jul 6 02:20:26 server01 kernel: [<c013c1ef>] pb_free+0x1f/0x30
>>> Jul 6 02:20:26 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
>>> Jul 6 02:20:26 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
>>> Jul 6 02:20:26 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
>>> Jul 6 02:20:26 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
>>> Jul 6 02:20:26 server01 kernel: lockd_up: create thread failed, error=-1
>>> Jul 6 02:43:29 server01 -- MARK --
>>> Jul 6 03:02:43 server01 kernel: VE: 104: stopped
>>> Jul 6 03:02:43 server01 kernel: VE: 104: started
>>> Jul 6 03:03:13 server01 kernel: kernel_thread call inside VE
>>> Jul 6 03:03:13 server01 kernel: [<c0101569>] kernel_thread+0xc9/0xd0
>>> Jul 6 03:03:13 server01 kernel: [<c01505ec>] __alloc_pages+0x2ac/0x370
>>> Jul 6 03:03:13 server01 kernel: [<f8ea3080>] svc_create_thread+0x130/0x160 [sunrpc]
>>> Jul 6 03:03:13 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>>> Jul 6 03:03:13 server01 kernel: [<f8e892dc>] lockd_up+0xfc/0x190 [lockd]
>>> Jul 6 03:03:13 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>>> Jul 6 03:03:13 server01 kernel: [<f8f05ff3>] nfs_get_sb+0x513/0x7f0 [nfs]
>>> Jul 6 03:03:13 server01 kernel: [<f8f04c00>] nfs_compare_super+0x0/0x80 [nfs]
>>> Jul 6 03:03:13 server01 kernel: [<f8f04be0>] nfs_set_super+0x0/0x20 [nfs]
>>> Jul 6 03:03:13 server01 kernel: [<c0172b4c>] vfs_kern_mount+0x4c/0xa0
>>> Jul 6 03:03:13 server01 kernel: [<c0172c12>] do_kern_mount+0x42/0x60
>>> Jul 6 03:03:13 server01 kernel: [<c018aa8d>] do_mount+0x26d/0x7a0
>>> Jul 6 03:03:13 server01 kernel: [<c013842a>] ub_slab_charge+0x7a/0x140
>>> Jul 6 03:03:13 server01 kernel: [<c03fc6b6>] inet_csk_get_port+0x136/0x280
>>> Jul 6 03:03:13 server01 kernel: [<c041ccd9>] inet_bind+0xd9/0x210
>>> Jul 6 03:03:13 server01 kernel: [<c013c1ef>] pb_free+0x1f/0x30
>>> Jul 6 03:03:13 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
>>> Jul 6 03:03:13 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
>>> Jul 6 03:03:13 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
>>> Jul 6 03:03:13 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
>>> Jul 6 03:03:13 server01 kernel: lockd_up: create thread failed, error=-1
>>> Jul 6 03:05:05 server01 kernel: VE: 104: stopped
>>> Jul 6 03:05:09 server01 kernel: VE: 104: started
>>> Jul 6 03:05:23 server01 kernel: kernel_thread call inside VE
>>> Jul 6 03:05:23 server01 kernel: [<c0101569>] kernel_thread+0xc9/0xd0
>>> Jul 6 03:05:23 server01 kernel: [<c01505ec>] __alloc_pages+0x2ac/0x370
>>> Jul 6 03:05:23 server01 kernel: [<f8ea3080>] svc_create_thread+0x130/0x160 [sunrpc]
>>> Jul 6 03:05:23 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]
>>> Jul 6 03:05:23 server01 kernel: [<f8e892dc>] lockd_up+0xfc/0x190 [lockd]
>>> Jul 6 03:05:23 server01 kernel: [<f8e89500>] lockd+0x0/0x360 [lockd]

```

```
>>> Jul 6 03:05:23 server01 kernel: [<f8f05ff3>] nfs_get_sb+0x513/0x7f0 [nfs]
>>> Jul 6 03:05:23 server01 kernel: [<f8f04c00>] nfs_compare_super+0x0/0x80 [nfs]
>>> Jul 6 03:05:23 server01 kernel: [<f8f04be0>] nfs_set_super+0x0/0x20 [nfs]
>>> Jul 6 03:05:23 server01 kernel: [<c0172b4c>] vfs_kern_mount+0x4c/0xa0
>>> Jul 6 03:05:23 server01 kernel: [<c0172c12>] do_kern_mount+0x42/0x60
>>> Jul 6 03:05:23 server01 kernel: [<c018aa8d>] do_mount+0x26d/0x7a0
>>> Jul 6 03:05:23 server01 kernel: [<c013842a>] ub_slab_charge+0x7a/0x140
>>> Jul 6 03:05:23 server01 kernel: [<c03fc6b6>] inet_csk_get_port+0x136/0x280
>>> Jul 6 03:05:23 server01 kernel: [<c041ccd9>] inet_bind+0xd9/0x210
>>> Jul 6 03:05:23 server01 kernel: [<c013c1ef>] pb_free+0x1f/0x30
>>> Jul 6 03:05:23 server01 kernel: [<c01506dd>] __get_free_pages+0x2d/0x50
>>> Jul 6 03:05:23 server01 kernel: [<c0189657>] copy_mount_options+0x47/0x130
>>> Jul 6 03:05:23 server01 kernel: [<c018b058>] sys_mount+0x98/0xe0
>>> Jul 6 03:05:23 server01 kernel: [<c0103083>] syscall_call+0x7/0xb
>>> Jul 6 03:05:23 server01 kernel: lockd_up: create thread failed, error=-1
>>>
>>>
>>>
>> some other info:
>> server01:~# uname -a
>> Linux server01 2.6.18-028stab035.1-ovz #1 Wed Jun 13 21:25:54 CEST 2007 i686 GNU/Linux
>> server01:~# cat /proc/version
>> Linux version 2.6.18-028stab035.1-ovz (tsd@debian.systs.org) (gcc version 4.1.2 20061115
(prerelease) (Debian 4.1.1-21)) #1 Wed Jun 13 21:25:54 CEST 2007
>>
>> using debian etch with packages from systs.org - are the CentOS kernels more stable?
>>
>> Thanks,
>> Stuart.
>>
```

---