

---

Subject: Re: Networking Question

Posted by [dev](#) on Thu, 26 Jan 2006 09:31:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello Greg,

We need output of commands 'ip a l', 'ip r l' both in problem VPS and host system. We have some idea of what can be wrong.

Thanks,  
Kirill

>> I am having a problem with the networking on my Gentoo VPS. I figure I  
>> better  
>> start at the beginning and make sure I have the OVZ host "hardware  
>> node" set  
>> up the preferred way. I checked the user guide briefly last night and  
>> did not  
>> find an answer to my question. If i have a server with 10 external  
>> IP's do  
>> those 10 IP's have to be listed in  
>> /etc/sysconfig/network-scripts/ifcfg-eth0-range0? Currently I DO NOT  
>> have the  
>> IP's homed to the hardware node. I let "vzctl add 101 --ipaddr  
>> xxx.xxx.xxx.xxx  
>> --save" add them for me to the guest. Just as an experiment I added a  
>> script  
>> ifcfg-venet0-range0 to add the IP's to the hardware node but the  
>> script was  
>> rewritten on startup of the network so I guess that is not the answer.  
>> There  
>> is no sense getting into the specifics of my issue with networking  
>> until I  
>> confirm the correct way to set up the hardware node to begin with. So..  
>>  
>> Do I need to home the external IP's in the hardware node under  
>> ifcfg-eth0 ??  
>  
> the IPs you intend to use for VPSs should not mentioned in ifcfg-eth0.  
> vzctl will setup appropriate routing rules in host system for these IPs  
> on VPS start.  
>  
> can you give me the access to you node (in private email only)? this  
> could allow us much quicker to solve the problem.

---