
Subject: Re: [RFC][PATCH 4/7] RSS accounting hooks over the code
Posted by [Cedric Le Goater](#) on Wed, 14 Mar 2007 15:37:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
> --- linux-2.6.20.orig/mm/migrate.c 2007-02-04 21:44:54.000000000 +0300
> +++ linux-2.6.20-0/mm/migrate.c 2007-03-06 13:33:28.000000000 +0300
> @@ -134,6 +134,7 @@ static void remove_migration_pte(struct
>     pte_t *ptep, pte;
>     spinlock_t *ptl;
>     unsigned long addr = page_address_in_vma(new, vma);
> + struct page_container *pcont;
>
>     if (addr == -EFAULT)
>         return;
> @@ -157,6 +158,11 @@ static void remove_migration_pte(struct
>     return;
> }
>
> + if (container_rss_prepare(new, vma, &pcont)) {
> +     pte_unmap(ptep);
> +     return;
> + }
> +
>     ptl = pte_lockptr(mm, pmd);
>     spin_lock(ptl);
>     pte = *ptep;
> @@ -175,16 +181,19 @@ static void remove_migration_pte(struct
>     set_pte_at(mm, addr, ptep, pte);
>
>     if (PageAnon(new))
> -     page_add_anon_rmap(new, vma, addr);
> +     page_add_anon_rmap(new, vma, addr, pcont);
>     else
> -     page_add_file_rmap(new);
> +     page_add_file_rmap(new, pcont);
>
>     /* No need to invalidate - it was non-present before */
>     update_mmu_cache(vma, addr, pte);
>     lazy_mmu_prot_update(pte);
> +     pte_unmap_unlock(ptep, ptl);
> +     return;
>
>     out:
>     pte_unmap_unlock(ptep, ptl);
> +     container_rss_release(pcont);
> }
>
> /*
```

you missed out an include in mm/migrate.c

cheers,

C.

Signed-off-by: Cedric Le Goater <clg@fr.ibm.com>

```
mm/migrate.c | 1 +
1 file changed, 1 insertion(+)
```

Index: 2.6.20/mm/migrate.c

```
=====
--- 2.6.20.orig/mm/migrate.c
+++ 2.6.20/mm/migrate.c
@@ -28,6 +28,7 @@
#include <linux/mempolicy.h>
#include <linux/vmalloc.h>
#include <linux/security.h>
+#include <linux/rss_container.h>
```

```
#include "internal.h"
```
