

---

Subject: Make vzrpm43 rpm package failed.  
Posted by [shixi](#) on Thu, 15 Mar 2007 10:28:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'm working on build vzrpm43 rpm package with the source file.  
There are many files suffix with ".patch", just like  
    ld\_assume\_kernel\_bypass\_rhel4.patch  
    rpm-4.3.3-all-static.patch  
    rpm-4.4.1-macros-path.swsoft.patch  
    .....

What does those file used for? How can I use those file? Thanks for help.  
I make the rpm backage with the following command  
    rpm -ivh vzrpm43-4.3.3-7\_nonptl.6.src.rpm

Got the following error:

```
+ echo 'Patch #2002 (rpm-4.4.1-macros-path.swsoft.patch):'
Patch #2002 (rpm-4.4.1-macros-path.swsoft.patch):
+ patch -p1 -s
+ echo 'Patch #2003 (rpm-4.3.3-lock-in-root.swsoft.patch):'
Patch #2003 (rpm-4.3.3-lock-in-root.swsoft.patch):
+ patch -p1 -s
+ exit 0
Executing(%build): /bin/sh -e /var/tmp/rpm-tmp.67308
+ umask 022
+ cd /usr/src/redhat/BUILD
+ cd rpm-4.3.3
+ LANG=C
+ export LANG
+ unset DISPLAY
+ unset LD_ASSUME_KERNEL
+ alternatives --set py24 /usr/bin/python.23
error: Bad exit status from /var/tmp/rpm-tmp.67308 (%build)
```

---