

---

Subject: Re: linux-2.6.20-openvz tree

Posted by [Carl-Daniel Hailfinger](#) on Tue, 27 Mar 2007 17:40:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On 24.03.2007 17:01, Kir Kolyshkin wrote:

> Carl-Daniel Hailfinger wrote:

>> On 23.03.2007 10:01, Kirill Korotaev wrote:

>>

>>> This was possible for years in OpenVZ:

>>>

>>> man vzctl

>>> <http://openvz.org/documentation/mans/vzctl.8>

>>>

>>> Network devices control parameters

>>> --netdev\_add name

>>> move network device from VE0 to a specified VE --netdev\_del name

>>> delete network device from a specified VE

>>>

>>> this is exactly the thing you are talking about:

>>> you can move eth0 and eth1 to one VE, eth2 and eth3 to another VE

>>> and keep eth4 to HN.

>>>

>>

>> Great! The OpenVZ wiki seemed to suggest that this was not possible.

>>

>

> Can you fix this wiki page? Or at least point me to it, so I can fix?

[http://wiki.openvz.org/Differences\\_between\\_venet\\_and\\_veth](http://wiki.openvz.org/Differences_between_venet_and_veth) states

"OpenVZ provides you to use either venet or veth devices (or both) for in-VE networking."

Suggested new wording:

"OpenVZ provides you to use venet or veth or real ethernet (ethX) devices (or a combination thereof) for in-VE networking."

This article and the others in Category:Networking never mention the ability to move ethX devices to a VE.

Regards,  
Carl-Daniel

---