
Subject: Re: Re: [PATCH] bluetooth bnep: Convert to kthread API.
Posted by [Cedric Le Goater](#) on Fri, 20 Apr 2007 10:20:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

Andrew Morton wrote:

```
> On Thu, 19 Apr 2007 01:58:51 -0600
> "Eric W. Biederman" <ebiederm@xmission.com> wrote:
>
>> From: Eric W. Biederman <ebiederm@xmission.com>
>>
>> This patch starts kbnepd using kthread_run replacing
>> a combination of kernel_thread and daemonize. Making
>> the code a little simpler and more maintainable.
>>
>>
>
> while (!atomic_read(&s->killed)) {
>
> ho hum.
```

yes. we need something like :

```
- while (!atomic_read(&s->killed)) {
+ while (1) {
+     try_to_freeze();

+     set_current_state(TASK_INTERRUPTIBLE);

+     if (atomic_read(&s->killed))
+         break;
+
```

I have an old patch for this driver. I'll refresh it.

```
>> + task = kthread_run(bnep_session, s, "kbnepd %s", dev->name);
>
> It's unusual to have a kernel thread which has a space in its name. That
> could trip up insufficient-defensive userspace tools.
```

but we can't just change it, can we ? i could be used by a user space tool to check if the thread is running.

C.
