
Subject: Re: [PATCH 8/8] Per-container pages reclamation
Posted by [Balbir Singh](#) on Tue, 24 Apr 2007 11:01:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

Pavel Emelianov wrote:

> Balbir Singh wrote:

>> Pavel Emelianov wrote:

>>> Implement `try_to_free_pages_in_container()` to free the
>>> pages in container that has run out of memory.

>>>

>>> The `scan_control->isolate_pages()` function isolates the
>>> container pages only.

>>>

>> Pavel,

>>

>> I've just started playing around with these patches, I preferred
>> the approach of v1. Please see below

>>

>>> +static unsigned long isolate_container_pages(unsigned long nr_to_scan,
>>> + struct list_head *src, struct list_head *dst,
>>> + unsigned long *scanned, struct zone *zone)

>>> +{

>>> + unsigned long nr_taken = 0;

>>> + struct page *page;

>>> + struct page_container *pc;

>>> + unsigned long scan;

>>> + LIST_HEAD(pc_list);

>>> +

>>> + for (scan = 0; scan < nr_to_scan && !list_empty(src); scan++) {

>>> + pc = list_entry(src->prev, struct page_container, list);

>>> + page = pc->page;

>>> + if (page_zone(page) != zone)

>>> + continue;

>> `shrink_zone()` will walk all pages looking for pages belonging to this

>

> No. `shrink_zone()` will walk container pages looking for pages in the desired zone.

> Scann through the full zone is done on global memory shortage.

>

Yes, I see that now. But for each zone in the system, we walk through the
containers list - right?

I have some more fixes, improvements that I want to send across.
I'll start sending them out to you as I test and verify them.

>> container and this slows down the reclaim quite a bit. Although we've
>> reused code, we've ended up walking the entire list of the zone to

```
>> find pages belonging to a particular container, this was the same
>> problem I had with my RSS controller patches.
>>
>>> +
>>> +     list_move(&pc->list, &pc_list);
>>> +
>>
>
```

--

Warm Regards,
Balbir Singh
Linux Technology Center
IBM, ISTL
