
Subject: Re: PPC64 Kernel 2.6.18 + RPM packages

Posted by [dev](#) on Fri, 25 May 2007 12:41:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

Christian,

sys_fairsched_chwt() can return ENOENT in the only case:
when fairsched node ID was not found in the list.
but VEO node is always on the list.
So I guess there is something wrong with syscall args in your case.

Please apply the attached patch to the kernel and vzctl
recompile/reboot and report the output of both.

Thanks,
Kirill

> When, where and what should return "-ENOSYS"?
>
> I rechecked my .config file and I've seen that
> CONFIG_SCHED_VCPU=y
> CONFIG_FAIRSCHED=y
> is already in it. But I cannot find it in the menuconfig. The menu of
> powerpc architecture is a bit different than i386. So perhaps I just
> haven't seen it... where should I find it then?
>
> So what I posted before is perhaps wrong. CONFIG_FAIRSCHED _was set_ in
> .config file. But I got the error "fairsched_chwt: No such file or
> directory".
>
> Christian Kaiser
> --
> IBM Deutschland Entwicklung GmbH
> Open Systems Firmware Development
> mail: ckaiser2@de.ibm.com
>
> IBM Deutschland Entwicklung GmbH
> Vorsitzender des Aufsichtsrats: Martin Jetter

> Registergericht: Amtsgericht Stuttgart, HRB 243294
>
>
>

```

--- ./kernel/fairsched.c ve2350 2007-05-24 11:48:18.000000000 +0400
+++ ./kernel/fairsched.c 2007-05-25 16:36:36.000000000 +0400
@@ -618,6 +618,7 @@ static struct fairsched_node *fairsched_
 struct fairsched_node *p;

 for_each_fairsched_node(p) {
+ printk(" fairsched_find: search %u, node: %d/%u\n", id, p->id, p->id);
    if (p->id == id)
        return p;
 }
@@ -734,9 +735,13 @@ int do_fairsched_chwt(unsigned int id, u
    if (weight < 1 || weight > FSCHWEIGHT_MAX)
        return -EINVAL;

+ printk("do_fairsched_chwt: node %u, w %u\n", id, weight);
    node = fairsched_find(id);
- if (node == NULL)
+ if (node == NULL) {
+    printk("do_fairsched_chwt: ENOENT\n");
    return -ENOENT;
+ }
+ printk("do_fairsched_chwt: found\n");

spin_lock_irq(&fairsched_lock);
node->weight = weight;

diff --git a/src/lib/cpu.c b/src/lib/cpu.c
index 947d973..b0b53a7 100644
--- a/src/lib/cpu.c
+++ b/src/lib/cpu.c
@@ -74,7 +74,7 @@ static int set_cpulimit(envid_t veid, un

static int set_cpuweight(envid_t veid, unsigned int cpuweight)
{
-
+ logger(0, 0, "vzctl: fairsched_chwt(%u, %u)", veid, cpuweight);
if (fairsched_chwt(veid, cpuweight)) {
    logger(-1, errno, "fairsched_chwt");
    return VZ_SETFSHD_ERROR;

```
