

---

Subject: Re: Is there a way to "suspend" a VE?

Posted by [Andrey Mirkin](#) on Wed, 30 May 2007 10:47:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

kingneutron wrote on Tue, 29 May 2007 20:04

--If you can send a SIGSTOP equivalent to a running VE, and not have it crash due to I/O waits, this could be useful. i.e.:

- o It stops processing events RIGHTNOW,
- o Outstanding writes are SYNCed,
- o Its filesystem is still mounted,
- o It shows up in vzlist as "run-suspended", and
- o What it was doing can be resumed immediately.

It is possible just to freeze processes without writing their state to image file:

```
vzctl chkpnt VEID --suspend
```

and resume it later:

```
vzctl chkpnt VEID --resume
```

After suspend you can take snapshot of processes state:

```
vzctl chkpnt VEID --dump --dumpfile=PATH
```

Also after suspend you can just kill your VE:

```
vzctl chkpnt VEID --kill
```

As you can see "chkpnt" command is equal to sequential execution of 3 subcommands: --suspend, --dump and --kill.

Quote:

--Equivalent to hitting ^Z (SIGSTOP) at the Bash prompt, so you can list jobs, issue "fg" and "bg" (could also resume with reduced-priority), etc. With a debugger attached to the VE, you could also look at what's it's doing at a deeper level (/proc and such like ' vzctl exec ' should still respond); but that's beyond my scope.

You will be able to see list of processes after you did "vzctl chkpnt VEID --suspend", but you won't be able to debug them, as all VE processes will be in the same state - they will be in kernel's refrigerator() function.

---