

---

Subject: Re: networking, looking for pointers  
Posted by [dev](#) on Thu, 31 May 2007 11:03:23 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

From what I see on your machine, it had not tweaked sysctls as described here: [http://wiki.openvz.org/Quick\\_installation](http://wiki.openvz.org/Quick_installation)

I fixed this and now packets from VE go to eth2 device to the router, but see no replies on this interfaces :/

VE does:

```
ns:~# ping 194.85.83.97
```

```
PING 194.85.83.97 (194.85.83.97) 56(84) bytes of data.
```

while host node redirects these packets to eth2 as it should be.

```
debian:~# tcpdump -n -i eth2 host 194.85.83.97
```

```
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
```

```
listening on eth2, link-type EN10MB (Ethernet), capture size 96 bytes
```

```
11:59:56.639608 IP 192.168.101.101 > 194.85.83.97: ICMP echo request, id 11570, seq 61, length 64
```

```
11:59:57.639608 IP 192.168.101.101 > 194.85.83.97: ICMP echo request, id 11570, seq 62, length 64
```

```
11:59:58.639664 IP 192.168.101.101 > 194.85.83.97: ICMP echo request, id 11570, seq 63, length 64
```

So you need to check router now, since packets are sent to this, but nothing returns back. I'm also unsure why you mention VLANs here, since all it looks like you have simple routed network, not a VLAN!

---