
Subject: Re: networking, looking for pointers
Posted by [dev](#) on Fri, 01 Jun 2007 08:27:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'm unsure I understand fully your networking settings, but even when I add IP 192.168.101.12 to the *host*, it still doesn't work:

```
[1]+ tcpdump -n -i eth2 host 194.87.0.50 &
debian:~#
debian:~# ping 194.87.0.50
PING 194.87.0.50 (194.87.0.50) 56(84) bytes of data.
09:26:31.617338 IP 192.168.101.12 > 194.87.0.50: ICMP echo request, id 30851, seq 1, length
64
09:26:32.618705 IP 192.168.101.12 > 194.87.0.50: ICMP echo request, id 30851, seq 2, length
64
09:26:33.618754 IP 192.168.101.12 > 194.87.0.50: ICMP echo request, id 30851, seq 3, length
64
09:26:34.618822 IP 192.168.101.12 > 194.87.0.50: ICMP echo request, id 30851, seq 4, length
64
09:26:35.618878 IP 192.168.101.12 > 194.87.0.50: ICMP echo request, id 30851, seq 5, length
64
09:26:36.618951 IP 192.168.101.12 > 194.87.0.50: ICMP echo request, id 30851, seq 6, length
64
09:26:37.619004 IP 192.168.101.12 > 194.87.0.50: ICMP echo request, id 30851, seq 7, length
64
```

```
--- 194.87.0.50 ping statistics ---
7 packets transmitted, 0 received, 100% packet loss, time 6001ms
```

i.e. no replies.

Can you reask your admin whether it is actually VLAN or simply a network IP's range which you can directly use and assign to your ethX devices?

if it is a vlan, then it should have an ID
