
Subject: Re: [PATCH] diskquota: 32bit quota tools on 64bit architectures

Posted by [Vasily Tarasov](#) on Fri, 15 Jun 2007 14:48:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Fri, 2007-06-15 at 12:43 +0200, Arnd Bergmann wrote:

> On Friday 15 June 2007, Mikael Pettersson wrote:

> > > --- linux-2.6.22-rc4-fixed/fs/quota.c.orig 2007-06-14 15:55:26.000000000 +0400

> > > +++ linux-2.6.22-rc4-fixed/fs/quota.c 2007-06-14 19:50:13.000000000 +0400

> > ...

> > > +#if defined(CONFIG_X86_64) || defined(CONFIG_IA64)

> > > /*

> > > + * This code works only for 32 bit quota tools over 64 bit OS (x86_64, ia64)

> > > + * and is necessary due to alignment problems.

> > > + */

> >

> > The #ifdef looks way too arch-specific. And isn't there a shared

> > compat.c module somewhere that this should go into?

> >

>

> Only x86_64 and ia64 have this particular problem, the other architectures,

> and hopefully all future 64 bit platforms with 32 bit user space use

> the same alignment rules in elf32 and elf64.

>

> Still, the patch should be converted to use the compat_u64 type and not

> add an 'attribute((packed))' so that you _can_ use the same code on all

> architectures. See my 'Introduce compat_u64 and compat_s64 types' patch

> that I just posted in another thread.

>

> Arnd <><

>

Hello,

I just noticed that we can not avoid the addition of packed attribute.

Look, for example:

```
struct if_dqblk {  
    __u64 dqb_bhardlimit;  
    __u64 dqb_bsoftlimit;  
    __u64 dqb_curspace;  
    __u64 dqb_ihardlimit;  
    __u64 dqb_isoftlimit;  
    __u64 dqb_curinodes;  
    __u64 dqb_btime;  
    __u64 dqb_itime;  
    __u32 dqb_valid;  
};
```

`sizeof(if_dqblk) = 0x48`

On 32 bit: 0x44

If I replace `__u64/__u32` with compat equivalents - it will not help!
aligned attribute can only increase the size of structure, but not decrease it.

So we should use packed or just use the array of ints: `int[2]`.

Vasily
