

---

Subject: \*SOLVED\* Access two subnets on two different NICs from VE with venet adapter

Posted by [christoph](#) on Wed, 20 Jun 2007 15:34:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello!

I've the following problem, when I like to access two different subnets on two different NICs on HN from a VE with venet adapter.

Ok, here is my situation in detail.

HN: eth0 10.0.0.101/24  
eth1 192.168.255.1/24

VE: venet0:0 10.0.0.123  
venet0:1 192.168.255.33

Now I try to ping to some other machine on the network from within the VE.

```
-bash-3.00# ping 10.0.0.102
```

```
PING 10.0.0.102 (10.0.0.102) 56(84) bytes of data.
```

```
64 bytes from 10.0.0.102: icmp_seq=0 ttl=63 time=0.138 ms
```

```
64 bytes from 10.0.0.102: icmp_seq=1 ttl=63 time=0.135 ms
```

```
--- 10.0.0.102 ping statistics ---
```

```
2 packets transmitted, 2 received, 0% packet loss, time 999ms
```

```
rtt min/avg/max/mdev = 0.135/0.136/0.138/0.011 ms, pipe 2
```

```
-bash-3.00# ping 192.168.255.2
```

```
PING 192.168.255.2 (192.168.255.2) 56(84) bytes of data.
```

```
--- 192.168.255.2 ping statistics ---
```

```
3 packets transmitted, 0 received, 100% packet loss, time 1999ms
```

```
-bash-3.00# logout
```

```
exited from VE 1001
```

```
[root@HN ~]# ping 192.168.255.2
```

```
PING 192.168.255.2 (192.168.255.2) 56(84) bytes of data.
```

```
64 bytes from 192.168.255.2: icmp_seq=0 ttl=64 time=0.176 ms
```

I also checked with tcpdump on 192.168.255.2 and found out that the echo request arrives, but with a source IP of 10.0.0.123.

I don't want to use the veth adapter for security reasons.

How can I best solve that problem with venet adapter?

Thank you,  
Christoph

---