

---

Subject: Re: Introduce new filesystem inside VE  
Posted by [Christian Kaiser2](#) on Tue, 26 Jun 2007 14:10:26 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Works great! Thank you!

Kirill Korotaev <dev@sw.ru> wrote on 06/26/2007 10:18:40 AM:

> filesystem\_type has have FS\_VIRTUALIZED flag to allow  
> file system to be mountable from inside VE.  
>  
> However, make sure that code in spufs doesn't have global  
> variables or at least uses them in a safe manner.  
> (e.g. it is safe to have global lock for all VEs,  
> but may be unsafe to have global list of some kind of objects).  
>  
> Thanks,  
> Kirill  
>  
> Christian Kaiser2 wrote:  
> > Hi all,  
> >  
> > I hope that you can help me. I modified the spufs sources so that is  
> > possible to mount multiple independant instances of it. Unlike to  
procfs it  
> > would make sense now to mount spufs inside a VE. But to achieve that  
the  
> > spufs must be known inside the VE - entry in /proc/filesystems at  
least. So  
> > my question is: How can I achieve that the spufs is known in the VE.  
Will  
> > it then automatically be mountable like in host (VE0) system or are  
there  
> > more modifications to do?  
> >

Christian Kaiser

--

IBM Deutschland Entwicklung GmbH  
Open Systems Firmware Development  
mail: [ckaiser2@de.ibm.com](mailto:ckaiser2@de.ibm.com)

IBM Deutschland Entwicklung GmbH  
Vorsitzender des Aufsichtsrats: Martin Jetter

Registergericht: Amtsgericht Stuttgart, HRB 243294

---