Subject: Re: IPv6 with venet Posted by Thorsten Schifferdeck on Tue, 10 Jul 2007 10:13:21 GMT View Forum Message <> Reply to Message

Hi Jan,

Jan Tomasek schrieb: > Vitaliy Gusev wrote: >> Please check /proc/sys/net/ipv6/conf/all/forwarding > [...] > Problem is that when I do: > > echo "1" > /proc/sys/net/ipv6/conf/all/forwarding > > HW node stops responding on IPv6 ping, reason probably is that setting > that removes default GW:

"Router Advertisements" (=autoconfiguration) are ignored on setting forward to 1 to IPv6 proc settings and your (automatic) default route ( ::0 ), is set to a RA IPv6 (link-local) address, is gone.

for Debian you can set IPv6 (addy and route) on your VE0 (hardware node):

```
--8<--(/etc/network/interfaces)--
[...]
iface <DEVICE>
[...]
iface <DEVICE> inet6 static
address <IPv6_ADDRESS>
netmask <NETMASK>
gateway <IPv6_ADDRESS_of_your_GATEWAY>
# set IPv6 forwarding here or in /etc/sysctl.conf
# read man page of interfaces (5)
[...]
-->8--
```

Regards, Thorsten Schifferdecker