

---

Subject: Re: arpsend: x.x.x.x is detected on another computer

Posted by [ganesh35](#) on Fri, 13 Jul 2007 13:22:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
[root@nat ~]# sysctl net.ipv4.ip_forward
net.ipv4.ip_forward = 0
[root@nat ~]#
[root@nat ~]# sysctl -w net.ipv4.ip_forward=1
net.ipv4.ip_forward = 1
[root@nat ~]# vzctl enter 653
entered into VE 653
[root@ns /]# ping google.com
PING google.com (72.14.207.99) 56(84) bytes of data.
64 bytes from eh-in-f99.google.com (72.14.207.99): icmp_seq=0 ttl=245 time=415 ms
64 bytes from eh-in-f99.google.com (72.14.207.99): icmp_seq=1 ttl=245 time=414 ms
```

```
--- google.com ping statistics ---
```

```
3 packets transmitted, 2 received, 33% packet loss, time 2001ms
```

```
rtt min/avg/max/mdev = 414.480/415.091/415.702/0.611 ms, pipe 2
```

```
[root@ns /]# exit
```

```
logout
```

```
exited from VE 653
```

```
[root@nat ~]# vzctl restart 653
```

```
Restarting VE
```

```
Stopping VE ...
```

```
VE was stopped
```

```
VE is unmounted
```

```
Starting VE ...
```

```
VE is mounted
```

```
Adding IP address(es): 192.168.6.53
```

```
arpsend: 192.168.6.53 is detected on another computer : 00:17:e0:27:ad:1a
```

```
vps-net_add WARNING: arpsend -c 1 -w 1 -D -e 192.168.6.53 eth0 FAILED
```

```
Setting CPU units: 1000
```

```
Configure meminfo: 49152
```

```
Set hostname: ns
```

```
File resolv.conf was modified
```

```
VE start in progress...
```

```
[root@nat ~]#
```

Thats great of you.

I could browse from the vps, I will treat ip conflict as a minor warning.

Thank you

---