

---

Subject: Re: APF on hardware node

Posted by [ugob](#) on Fri, 20 Jul 2007 14:19:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

These rules are not working (IFACE\_TRUSTED="")

Chain INPUT (policy ACCEPT 1 packets, 78 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	ACCEPT	all	--	lo	*	0.0.0.0/0	0.0.0.0/0	
6	528	ACCEPT	tcp	--	*	*	69.63.144.19	0.0.0.0/0	tcp dpt:22
0	0	ACCEPT	tcp	--	*	*	69.63.144.15	0.0.0.0/0	tcp dpt:22
3	216	ACCEPT	tcp	--	*	*	71.252.120.209	0.0.0.0/0	tcp dpt:22
0	0	ACCEPT	tcp	--	*	*	74.59.221.180	0.0.0.0/0	tcp dpt:22
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpts:135:139
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpts:135:139
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:111
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt:111
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:513
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt:513
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:520
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt:520
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:445
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt:445
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:1433
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt:1433
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:1434
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt:1434
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:1234
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt:1234
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:1524
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt:1524
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:3127
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt:3127
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x3F/0x00
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x03/0x03
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x06/0x06
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x05/0x05
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x11/0x01
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x30/0x20
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x18/0x08
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x3F/0x29
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x3F/0x37
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x3F/0x3F
0	0	IN_SANITY	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x3F/0x01
0	0	FUDP	udp	-f	eth0	*	0.0.0.0/0	0.0.0.0/0	
0	0	PZ	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt:0
0	0	PZ	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:0
0	0	REJECT	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:1214 reject-with

```

icmp-port-unreachable
0 0 REJECT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpt:1214 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp dpt:2323 reject-with
icmp-port-unreachable
0 0 REJECT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpt:2323 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp dpts:4660:4678
reject-with icmp-port-unreachable
0 0 REJECT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpts:4660:4678
reject-with icmp-port-unreachable
0 0 REJECT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp dpt:6257 reject-with
icmp-port-unreachable
0 0 REJECT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpt:6257 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp dpt:6699 reject-with
icmp-port-unreachable
0 0 REJECT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpt:6699 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp dpt:6346 reject-with
icmp-port-unreachable
0 0 REJECT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpt:6346 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp dpt:6347 reject-with
icmp-port-unreachable
0 0 REJECT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpt:6347 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp dpts:6881:6889
reject-with icmp-port-unreachable
0 0 REJECT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpts:6881:6889
reject-with icmp-port-unreachable
0 0 REJECT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp dpt:6346 reject-with
icmp-port-unreachable
0 0 REJECT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpt:6346 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp dpt:7778 reject-with
icmp-port-unreachable
0 0 REJECT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpt:7778 reject-with
icmp-port-unreachable
0 0 TELNET_LOG tcp -- * * 0.0.0.0/0 0.0.0.0/0 tcp dpt:23 state NEW
0 0 SSH_LOG tcp -- * * 0.0.0.0/0 0.0.0.0/0 tcp dpt:22 state NEW
0 0 ACCEPT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp dpt:5666
0 0 ACCEPT icmp -- eth0 * 0.0.0.0/0 0.0.0.0/0 icmp type 3 limit: avg
30/sec burst 5
0 0 ACCEPT icmp -- eth0 * 0.0.0.0/0 0.0.0.0/0 icmp type 5 limit: avg
30/sec burst 5
0 0 ACCEPT icmp -- eth0 * 0.0.0.0/0 0.0.0.0/0 icmp type 11 limit: avg
30/sec burst 5

```

```

0 0 ACCEPT icmp -- eth0 * 0.0.0.0/0 0.0.0.0/0 icmp type 0 limit: avg
30/sec burst 5
0 0 ACCEPT icmp -- eth0 * 0.0.0.0/0 0.0.0.0/0 icmp type 30 limit: avg
30/sec burst 5
0 0 ACCEPT icmp -- eth0 * 0.0.0.0/0 0.0.0.0/0 icmp type 8 limit: avg
30/sec burst 5
0 0 DROP tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp flags:!0x16/0x02 state
NEW
0 0 ACCEPT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 state
RELATED,ESTABLISHED
0 0 ACCEPT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 state
RELATED,ESTABLISHED
0 0 ACCEPT udp -- eth0 * 69.63.129.15 0.0.0.0/0 udp spt:53
dpts:1023:65535
0 0 ACCEPT tcp -- eth0 * 69.63.129.15 0.0.0.0/0 tcp spt:53
dpts:1023:65535
0 0 DROP tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp spt:53 dpts:1023:65535

0 0 DROP udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp spt:53
dpts:1023:65535
0 0 ACCEPT udp -- eth0 * 69.63.129.16 0.0.0.0/0 udp spt:53
dpts:1023:65535
0 0 ACCEPT tcp -- eth0 * 69.63.129.16 0.0.0.0/0 tcp spt:53
dpts:1023:65535
0 0 DROP tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp spt:53 dpts:1023:65535

0 0 DROP udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp spt:53
dpts:1023:65535
0 0 ACCEPT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp spts:1023:65535
dpt:21 state RELATED,ESTABLISHED
0 0 ACCEPT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 multiport dports 21,20
state RELATED,ESTABLISHED
0 0 ACCEPT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 multiport dports 21,20
state RELATED,ESTABLISHED
0 0 ACCEPT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp spt:22 dpts:513:65535
state RELATED,ESTABLISHED
0 0 ACCEPT tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 tcp spts:1024:65535
dpt:22 flags:0x16/0x02 state RELATED,ESTABLISHED
0 0 ACCEPT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 udp dpt:22 state
ESTABLISHED
0 0 ACCEPT udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 state NEW udp
dpts:33434:33534
0 0 LOG tcp -- eth0 * 0.0.0.0/0 0.0.0.0/0 limit: avg 30/min burst 5
LOG flags 0 level 2 prefix `** IN_TCP DROP ** '
0 0 LOG udp -- eth0 * 0.0.0.0/0 0.0.0.0/0 limit: avg 30/min burst 5
LOG flags 0 level 2 prefix `** IN_UDP DROP ** '
0 0 DROP tcp -- * * 0.0.0.0/0 0.0.0.0/0
0 0 DROP udp -- * * 0.0.0.0/0 0.0.0.0/0

```

```
0 0 DROP all -- * * 0.0.0.0/0 0.0.0.0/0
```

Chain FORWARD (policy ACCEPT 2 packets, 132 bytes)

```
pkts bytes target prot opt in out source destination
```

Chain OUTPUT (policy ACCEPT 1 packets, 62 bytes)

```
pkts bytes target prot opt in out source destination
```

```
0 0 ACCEPT all -- * lo 0.0.0.0/0 0.0.0.0/0
0 0 ACCEPT tcp -- * * 0.0.0.0/0 69.63.144.15 tcp dpt:22
0 0 DROP tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpts:135:139
0 0 DROP udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpts:135:139
0 0 DROP tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:111
0 0 DROP udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:111
0 0 DROP tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:513
0 0 DROP udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:513
0 0 DROP tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:520
0 0 DROP udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:520
0 0 DROP tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:445
0 0 DROP udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:445
0 0 DROP tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:1433
0 0 DROP udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:1433
0 0 DROP tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:1434
0 0 DROP udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:1434
0 0 DROP tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:1234
0 0 DROP udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:1234
0 0 DROP tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:1524
0 0 DROP udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:1524
0 0 DROP tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:3127
0 0 DROP udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:3127
0 0 OUT_SANITY tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp flags:0x3F/0x00
0 0 OUT_SANITY tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp flags:0x03/0x03
0 0 OUT_SANITY tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp flags:0x06/0x06
0 0 OUT_SANITY tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp flags:0x05/0x05
0 0 OUT_SANITY tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp flags:0x11/0x01
0 0 OUT_SANITY tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp flags:0x18/0x08
0 0 OUT_SANITY tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp flags:0x30/0x20
0 0 FUDP udp -f * eth0 0.0.0.0/0 0.0.0.0/0
0 0 PZ udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:0
0 0 PZ tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:0
0 0 REJECT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:1214 reject-with
icmp-port-unreachable
0 0 REJECT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:1214 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:2323 reject-with
icmp-port-unreachable
0 0 REJECT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:2323 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpts:4660:4678
```

```

reject-with icmp-port-unreachable
0 0 REJECT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpts:4660:4678
reject-with icmp-port-unreachable
0 0 REJECT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:6257 reject-with
icmp-port-unreachable
0 0 REJECT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:6257 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:6699 reject-with
icmp-port-unreachable
0 0 REJECT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:6699 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:6346 reject-with
icmp-port-unreachable
0 0 REJECT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:6346 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:6347 reject-with
icmp-port-unreachable
0 0 REJECT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:6347 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpts:6881:6889
reject-with icmp-port-unreachable
0 0 REJECT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpts:6881:6889
reject-with icmp-port-unreachable
0 0 REJECT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:6346 reject-with
icmp-port-unreachable
0 0 REJECT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:6346 reject-with
icmp-port-unreachable
0 0 REJECT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:7778 reject-with
icmp-port-unreachable
0 0 REJECT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:7778 reject-with
icmp-port-unreachable
0 0 ACCEPT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:21
0 0 ACCEPT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:25
0 0 ACCEPT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:80
0 0 ACCEPT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:443
0 0 ACCEPT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpt:43
0 0 ACCEPT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:20
0 0 ACCEPT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:21
0 0 ACCEPT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:53
0 0 ACCEPT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpt:123
0 0 ACCEPT icmp -- * eth0 0.0.0.0/0 0.0.0.0/0 limit: avg 30/sec burst 5
2 208 ACCEPT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp dpts:1024:65535
state RELATED,ESTABLISHED
0 0 ACCEPT udp -- * eth0 0.0.0.0/0 0.0.0.0/0 udp dpts:1024:65535
state RELATED,ESTABLISHED
0 0 ACCEPT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 tcp spt:21
dpts:1023:65535 state RELATED,ESTABLISHED
0 0 ACCEPT tcp -- * eth0 0.0.0.0/0 0.0.0.0/0 multiport dports 21,20

```

state RELATED,ESTABLISHED

0	0	ACCEPT	udp	-- *	eth0	0.0.0.0/0	0.0.0.0/0	multiport dports 21,20
---	---	--------	-----	------	------	-----------	-----------	------------------------

state RELATED,ESTABLISHED

0	0	ACCEPT	udp	-- *	eth0	0.0.0.0/0	0.0.0.0/0	state NEW udp
---	---	--------	-----	------	------	-----------	-----------	---------------

dpts:33434:33534

0	0	LOG	tcp	-- *	eth0	0.0.0.0/0	0.0.0.0/0	limit: avg 30/min burst 5
---	---	-----	-----	------	------	-----------	-----------	---------------------------

LOG flags 0 level 2 prefix `\*\* OUT\_TCP DROP \*\* '

0	0	LOG	udp	-- *	eth0	0.0.0.0/0	0.0.0.0/0	limit: avg 30/min burst 5
---	---	-----	-----	------	------	-----------	-----------	---------------------------

LOG flags 0 level 2 prefix `\*\* OUT\_UDP DROP \*\* '

25	6824	DROP	tcp	-- *	*	0.0.0.0/0	0.0.0.0/0
----	------	------	-----	------	---	-----------	-----------

0	0	DROP	udp	-- *	*	0.0.0.0/0	0.0.0.0/0
---	---	------	-----	------	---	-----------	-----------

0	0	DROP	all	-- *	*	0.0.0.0/0	0.0.0.0/0
---	---	------	-----	------	---	-----------	-----------

Chain FUDP (2 references)

pkts	bytes	target	prot	opt	in	out	source	destination
0	0	LOG	all	-- *	*	0.0.0.0/0	0.0.0.0/0	limit: avg 30/min burst 5 LOG

flags 0 level 2 prefix `\*\* UDP Frag \*\* '

0	0	DROP	all	-- *	*	0.0.0.0/0	0.0.0.0/0
---	---	------	-----	------	---	-----------	-----------

Chain GTA (0 references)

pkts	bytes	target	prot	opt	in	out	source	destination
0	0	ACCEPT	all	-- *	*	0.0.0.0/0	0.0.0.0/0	

Chain GTD (0 references)

pkts	bytes	target	prot	opt	in	out	source	destination
0	0	DROP	all	-- *	*	0.0.0.0/0	0.0.0.0/0	

Chain IN\_SANITY (11 references)

pkts	bytes	target	prot	opt	in	out	source	destination
0	0	LOG	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0 limit: avg 30/min burst 5

LOG flags 0 level 2 prefix `\*\* SANITY \*\* '

0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0
---	---	------	-----	----	------	---	-----------	-----------

Chain LA (0 references)

pkts	bytes	target	prot	opt	in	out	source	destination
0	0	LOG	all	-- *	*	0.0.0.0/0	0.0.0.0/0	LOG flags 0 level 2
0	0	ACCEPT	all	-- *	*	0.0.0.0/0	0.0.0.0/0	

Chain LD (0 references)

pkts	bytes	target	prot	opt	in	out	source	destination
0	0	LOG	all	-- *	*	0.0.0.0/0	0.0.0.0/0	LOG flags 0 level 2
0	0	DROP	all	-- *	*	0.0.0.0/0	0.0.0.0/0	

Chain LMAC (0 references)

pkts	bytes	target	prot	opt	in	out	source	destination
0	0	LOG	all	-- *	*	0.0.0.0/0	0.0.0.0/0	limit: avg 30/min burst 5 LOG

flags 0 level 2 prefix `\*\* DROP FOREIGN MAC \*\* '

0	0	REJECT	all	--	eth0	*	0.0.0.0/0	0.0.0.0/0 reject-with
---	---	--------	-----	----	------	---	-----------	-----------------------

## icmp-net-prohibited

### Chain OUT\_SANITY (7 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	LOG	tcp	--	*	eth0	0.0.0.0/0	0.0.0.0/0	limit: avg 30/min burst 5
LOG flags 0 level 2 prefix `** SANITY **`									
0	0	DROP	tcp	--	*	eth0	0.0.0.0/0	0.0.0.0/0	

### Chain PROHIBIT (0 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	REJECT	all	--	*	*	0.0.0.0/0	0.0.0.0/0	reject-with

icmp-host-prohibited

### Chain PZ (4 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	LOG	all	--	*	*	0.0.0.0/0	0.0.0.0/0	limit: avg 30/min burst 5 LOG
flags 0 level 2 prefix `** Port Zero **`									
0	0	DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0	

### Chain RESET (0 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	REJECT	tcp	--	*	*	0.0.0.0/0	0.0.0.0/0	reject-with tcp-reset

### Chain SSH\_LOG (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	LOG	all	--	*	*	0.0.0.0/0	0.0.0.0/0	LOG flags 0 level 2 prefix `** SSH **`

### Chain TA (0 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	ACCEPT	all	--	*	*	0.0.0.0/0	0.0.0.0/0	

### Chain TD (0 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0	

### Chain TELNET\_LOG (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	LOG	all	--	*	*	0.0.0.0/0	0.0.0.0/0	LOG flags 0 level 2 prefix `** TELNET **`