
Subject: [PATCH] possible deadlock in tulip driver

Posted by [den](#) on Tue, 24 Jul 2007 07:49:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Calling flush_scheduled_work() may deadlock if called under rtnl_lock
(from dev->stop) as linkwatch_event() may be on the workqueue and it will try
to get the rtnl_lock

Signed-off-by: Denis V. Lunev <den@openvz.org>

tulip_core.c | 4 ++--

1 file changed, 2 insertions(+), 2 deletions(-)

--- ./drivers/net/tulip/tulip_core.c.tulip 2007-07-16 12:54:29.000000000 +0400

+++ ./drivers/net/tulip/tulip_core.c 2007-07-23 19:06:24.000000000 +0400

@@ -726,6 +726,6 @@ static void tulip_down (struct net_devic

void __iomem *ioaddr = tp->base_addr;

unsigned long flags;

- flush_scheduled_work();

-

del_timer_sync (&tp->timer);

#ifdef CONFIG_TULIP_NAPI

del_timer_sync (&tp->oom_timer);

@@ -1788,6 +1786,8 @@ static void __devexit tulip_remove_one (

if (!dev)

return;

+ flush_scheduled_work();

+

tp = netdev_priv(dev);

unregister_netdev(dev);

pci_free_consistent (pdev,