
Subject: Re: *SOLVED* CentOS5 Template Metadata package?

Posted by [toso](#) on Wed, 25 Jul 2007 18:28:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi steve (or others)

I have tried different approaches to getting the centos-5 templates to run on my FC5-server.

The cache has been rebuilt, and I have verified that no resources have run into limits via `/proc/user_beancounters`.

It seems that `/dev` causes some problems. As shown in a previous post to this thread `udev` seems to hang, and the content of `/dev` is limited to:

```
# vzctl exec 208 ls /dev
```

```
MAKEDEV
```

```
XOR
```

```
console
```

```
core
```

```
fd
```

```
initctl
```

```
log
```

```
loop0
```

```
loop1
```

```
loop2
```

```
loop3
```

```
loop4
```

```
loop5
```

```
loop6
```

```
loop7
```

```
mapper
```

```
net
```

```
null
```

```
parport0
```

```
parport1
```

```
parport2
```

```
parport3
```

```
ppp
```

```
pts
```

```
shm
```

```
stderr
```

```
stdin
```

```
stdout
```

```
tty
```

```
urandom
```

```
zero
```

As I mentioned in my last post, a FC6 based server works fine. It seems like both FC5-host and

FC6-host uses udev. But still something around udevs seems to cause trouble in the centos 5 VPS.

Any ideas is appreciated.

/Thomas
