

Error: ./arch/i386/kernel/apic.o .data refers to 000000bc R\_386\_32 .init.text  
Error: ./arch/i386/kernel/cpu/mtrr/centaur.o .data refers to 00000008 R\_386\_32 .init.text  
Error: ./arch/i386/kernel/cpu/mtrr/cyrix.o .data refers to 00000008 R\_386\_32 .init.text  
Error: ./arch/i386/kernel/cpu/nexgen.o .text refers to 0000000b R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/io\_apic.o .text refers to 000017eb R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/io\_apic.o .text refers to 0000186a R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/io\_apic.o .text refers to 000018d4 R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/io\_apic.o .text refers to 00001932 R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/io\_apic.o .text refers to 00001982 R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/reboot.o .text refers to 00000006 R\_386\_32 .init.data  
Error: ./arch/i386/kernel/timers/timer.o .text refers to 00000030 R\_386\_32 .init.data  
Error: ./arch/i386/kernel/timers/timer\_hpet.o .data refers to 00000020 R\_386\_32 .init.text  
Error: ./arch/i386/kernel/timers/timer\_none.o .data refers to 00000004 R\_386\_32 .init.text  
Error: ./arch/i386/kernel/timers/timer\_pit.o .data refers to 00000004 R\_386\_32 .init.text  
Error: ./arch/i386/kernel/timers/timer\_tsc.o .data refers to 00000020 R\_386\_32 .init.text  
Error: ./arch/i386/pci/fixup.o .pci\_fixup\_header refers to 0000000c R\_386\_32 .init.text  
Error: ./drivers/acpi/pci\_link.o .altinstructions refers to 00000000 R\_386\_32 .init.text  
Error: ./drivers/block/cpqarray.o .text refers to 00000903 R\_386\_PC32 .init.text  
Error: ./drivers/block/cpqarray.o .data refers to 00000150 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/alim15x3.o .data refers to 0000006c R\_386\_32 .init.text  
Error: ./drivers/ide/pci/alim15x3.o .data refers to 00000074 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/alim15x3.o .data refers to 00000078 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002ac R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002b4 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002e4 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002ec R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000031c R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000324 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000354 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000035c R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000038c R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000394 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000003c4 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000003cc R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000003fc R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000404 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000434 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000043c R\_386\_32 .init.text



Error: ./drivers/ide/pci/generic.o .data refers to 000002ec R\_386\_32 .init.text  
Error: ./drivers/ide/pci/rz1000.o .data refers to 00000014 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/serverworks.o .data refers to 00000094 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/serverworks.o .data refers to 000000cc R\_386\_32 .init.text  
Error: ./drivers/ide/pci/sis5513.o .data refers to 000003cc R\_386\_32 .init.text  
Error: ./drivers/ide/pci/sis5513.o .data refers to 000003d4 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/slc90e66.o .data refers to 0000000c R\_386\_32 .init.text  
Error: ./drivers/ide/pci/slc90e66.o .data refers to 00000014 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/triflex.o .data refers to 00000014 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/via82cxxx.o .data refers to 000002cc R\_386\_32 .init.text  
Error: ./drivers/ide/pci/via82cxxx.o .data refers to 000002d4 R\_386\_32 .init.text  
Error: ./drivers/ide/setup-pci.o .altinstructions refers to 00000000 R\_386\_32 .init.text  
Error: ./drivers/md/dm.o .data refers to 00000020 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/acpiphp\_glue.o .altinstructions refers to 000000c0 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/acpiphp\_glue.o .altinstructions refers to 000000cc R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_ebda.o .altinstructions refers to 00000000 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_ebda.o .altinstructions refers to 00000024 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_ebda.o .altinstructions refers to 00000030 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_ebda.o .altinstructions refers to 0000003c R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_ebda.o .altinstructions refers to 00000048 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_ebda.o .altinstructions refers to 00000060 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_ebda.o .altinstructions refers to 000000d8 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_res.o .altinstructions refers to 00000000 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_res.o .altinstructions refers to 0000000c R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_res.o .altinstructions refers to 00000018 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_res.o .altinstructions refers to 00000024 R\_386\_32 .init.text  
Error: ./drivers/pci/hotplug/ibmphp\_res.o .altinstructions refers to 00000030 R\_386\_32 .init.text  
Error: ./drivers/pci/probe.o .altinstructions refers to 0000000c R\_386\_32 .init.text  
Error: ./drivers/pci/probe.o .altinstructions refers to 00000018 R\_386\_32 .init.text  
Error: ./drivers/pci/probe.o .altinstructions refers to 00000024 R\_386\_32 .init.text  
Error: ./drivers/pci/quirks.o .pci\_fixup\_final refers to 0000009c R\_386\_32 .init.text  
Error: ./drivers/pci/quirks.o .pci\_fixup\_final refers to 000000a4 R\_386\_32 .init.text  
Error: ./drivers/pci/quirks.o .pci\_fixup\_final refers to 000000f4 R\_386\_32 .init.text  
Error: ./drivers/pci/quirks.o .pci\_fixup\_final refers to 000000fc R\_386\_32 .init.text



Error: ./drivers/serial/8250.o .data refers to 00000118 R\_386\_32 .init.text  
Error: ./fs/reiserfs/xattr.o .altinstructions refers to 00000018 R\_386\_32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000002b6 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000537 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000927 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000939 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000955 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000961 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000971 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000981 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000009ba R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000009cc R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000ac8 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000adf R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000b4e R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000b7d R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000e85 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000ea9 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000eb5 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000f32 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00000fe9 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000011e9 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001201 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001211 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001221 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 0000128b R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000013b9 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000013d5 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 0000142b R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001441 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 0000147c R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 0000148d R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000017aa R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000017ba R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000017d1 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000017d8 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000017e6 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000017f6 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001806 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 0000187a R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001883 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001891 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 000018a1 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001a72 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001a7c R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001a88 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001a96 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001aa6 R\_386\_PC32 .init.text

Error: ./init/do\_mounts\_rd.o .text refers to 00001ab6 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001ac6 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001ad6 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001ae6 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001af6 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001b06 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001b16 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001b2d R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001b37 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001b46 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001b56 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001b6d R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001b7e R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001b8f R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001baf R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001bc0 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001bd1 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001be2 R\_386\_PC32 .init.text  
Error: ./init/do\_mounts\_rd.o .text refers to 00001bf3 R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 000002b6 R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 00000537 R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 00000938 R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 00000954 R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 00000b11 R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 00001073 R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 0000127f R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 000013c9 R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 000013df R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 0000141a R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 0000142b R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 00001784 R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 0000179d R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 000017ab R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 000017ba R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 000017ca R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 000017da R\_386\_PC32 .init.text  
Error: ./init/initramfs.o .text refers to 000017ea R\_386\_PC32 .init.text  
Error: ./init/main.o .text refers to 0000050b R\_386\_PC32 .init.text  
Error: ./init/main.o .text refers to 0000051a R\_386\_PC32 .init.text  
Error: ./mm/bootmem.o .altinstructions refers to 00000000 R\_386\_32 .init.text  
Error: ./mm/slab.o .altinstructions refers to 0000000c R\_386\_32 .init.text

---