
Posted by [saimon](#) on Fri, 10 Aug 2007 11:30:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
[root@c2d /]# uptime
```

```
15:00:43 up 4:08, 1 user, load average: 27.02, 27.34, 26.31
```

```
[root@c2d /]# ifconfig lan
```

```
lan      Link encap:Ethernet  HWaddr 00:18:F3:D0:1A:2A
          inet addr:192.168.0.26  Bcast:192.168.0.255  Mask:255.255.255.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:96778268 errors:0 dropped:0 overruns:0 frame:0
          TX packets:107517827 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:39487740953 (36.7 GiB)  TX bytes:76202385503 (70.9 GiB)
          Interrupt:177
```

```
[root@c2d /]# ip a l
```

```
2: lo: <LOOPBACK,UP,10000> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
4: veth: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:18:f3:d0:1f:9c brd ff:ff:ff:ff:ff:ff
6: lan: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:18:f3:d0:1a:2a brd ff:ff:ff:ff:ff:ff
    inet 192.168.0.26/24 brd 192.168.0.255 scope global lan
8: br0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
    link/ether 00:18:51:f2:d4:cb brd ff:ff:ff:ff:ff:ff
10: vbr0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
    link/ether 00:00:00:00:00:00 brd ff:ff:ff:ff:ff:ff
1: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,10000> mtu 1500 qdisc noqueue
    link/void
3: veth1005.0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
    link/ether 00:12:34:56:78:9d brd ff:ff:ff:ff:ff:ff
5: veth1008.0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
    link/ether 00:18:51:f2:d4:cb brd ff:ff:ff:ff:ff:ff
7: veth1025.0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
```

link/ether 00:18:51:f2:d4:ce brd ff:ff:ff:ff:ff:ff

```
[root@c2d /]# ip r l
```

```
192.168.0.120 dev venet0 scope link
192.168.0.200 dev venet0 scope link
192.168.0.30 dev venet0 scope link
192.168.2.1 dev venet0 scope link
192.168.2.16 dev venet0 scope link
192.168.2.5 dev veth1005.0 scope link
192.168.0.0/24 dev lan proto kernel scope link src 192.168.0.26
169.254.0.0/16 dev lan scope link
default via 192.168.0.20 dev lan
```

```
[root@c2d /]# brctl show
```

bridge name	bridge id	STP enabled	interfaces
br0	8000.001851f2d4cb	no	veth1008.0 veth1025.0 veth
vbr0	8000.000000000000	no	can't get port info: Function not implemented

```
[root@c2d /]# dmesg |tail -n 20
```

```
VE: 1008: started
device veth1008.0 entered promiscuous mode
audit(1186728907.802:3): dev=veth1008.0 prom=256 old_prom=0 auid=4294967295
br0: port 2(veth1008.0) entering learning state
br0: topology change detected, propagating
br0: port 2(veth1008.0) entering forwarding state
VE: 1012: started
VE: 1016: started
VZDQ: not attached to tree, dev 0:13, inode 5363598, fs nfs
VE: 1017: started
VZDQ: not attached to tree, dev 0:13, inode 7261098, fs nfs
VE: 1018: started
VZDQ: not attached to tree, dev 0:13, inode 5385797, fs nfs
VE: 1025: started
device veth1025.0 entered promiscuous mode
audit(1186728983.503:4): dev=veth1025.0 prom=256 old_prom=0 auid=4294967295
br0: port 3(veth1025.0) entering learning state
br0: topology change detected, propagating
br0: port 3(veth1025.0) entering forwarding state
VZDQ: not attached to tree, dev 0:13, inode 425153, fs nfs
```

PS.

PSS.

http://simtech.ru/IMG_8146.jpg

http://simtech.ru/IMG_8147.jpg

<http://simtech.ru/config-2.6.18-8.1.8.el5.028stab039.1.sa.1>
