
Subject: Re: openvz naming conventions; numeric vs symbolic
Posted by [Steve Hodges](#) on Thu, 16 Aug 2007 00:00:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

On 16/08/2007 6:14 AM, Steve Wray wrote:

>
>
> vzctl does respect the given 'name' however vzquota does not appear to
> and seems to require the numeric id.
>
>

I have a similar issue with scripts that need to convert from the VEID
or VE Name to either the VEID, the VE Name, or host name.

I've written this simple script to do the conversions for me. It's
handy in scripts, but may be useful where your list of VE's is too large
to simply scan the vzlist for the information you need.

```
/usr/local/bin/vmid
```

```
-----
```

```
#!/bin/bash
```

```
if [ "${1}" == "" ]; then  
    echo "$0 {veid|name} [-i|-n|-h]"  
    echo "    -i returns id \ (default)"  
    echo "    -n returns name"  
    echo "    -h returns host name"  
    exit 1  
fi
```

```
case "$2" in  
    "" | "-i")  
        PARM=veid  
        ;;  
    "-n")  
        PARM=name  
        ;;  
    "-h")  
        PARM=hostname  
        ;;  
    *)  
        echo Bad parameter $2  
        exit 1  
        ;;  
esac
```

```
VM_ID=`vzlist -o ${PARM} -H -N ${1} | sed -e "s/ //g"
```

```
if [ "${VM_ID}" == "" ]; then
  VM_ID=`vzlist -o ${PARM} -H ${1} | sed -e "s/ //g"`
fi
```

```
if [ "${VM_ID}" == "" ]; then
  exit 1
else
  echo ${VM_ID}
  exit 0
fi
```

- - - - -

Since my scripts can be passed either the veid or the vname, I might code something like this:

```
ping $(vmid $1 -h)
```

more practically I use it to access things like the config files that are named according to the VEID.

Steve
