
Posted by [sa10](#) on Wed, 29 Aug 2007 15:04:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
grep CONFIG_NET_SCH /proc/config.gz
CONFIG_NET_SCHED=y
CONFIG_NET_SCH_CLK_JIFFIES=y
# CONFIG_NET_SCH_CLK_GETTIMEOFDAY is not set
# CONFIG_NET_SCH_CLK_CPU is not set
CONFIG_NET_SCH_CBQ=m
CONFIG_NET_SCH_HTB=m
CONFIG_NET_SCH_HFSC=m
CONFIG_NET_SCH_PRIO=m
CONFIG_NET_SCH_RED=m
CONFIG_NET_SCH_SFQ=m
CONFIG_NET_SCH_TEQL=m
CONFIG_NET_SCH_TBF=m
CONFIG_NET_SCH_GRED=m
CONFIG_NET_SCH_DSMARK=m
CONFIG_NET_SCH_NETEM=m
CONFIG_NET_SCH_INGRESS=m
```

```
2: lo: <LOOPBACK,UP,10000> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 brd 127.255.255.255 scope host lo
4: eth0: <BROADCAST,MULTICAST,SLAVE,UP,10000> mtu 1500 qdisc pfifo_fast master bond0
qlen 1000
    link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
6: eth1: <BROADCAST,MULTICAST,SLAVE,UP,10000> mtu 1500 qdisc pfifo_fast master bond0
```

```

qlen 1000
  link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
8: bond0: <BROADCAST,MULTICAST,MASTER,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
1: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,10000> mtu 1500 qdisc noqueue
  link/void
10: vlan5@bond0: <BROADCAST,MULTICAST,PROMISC,MASTER,UP,10000> mtu 1500 qdisc
noqueue
  link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
12: vlan36@bond0: <BROADCAST,MULTICAST,PROMISC,MASTER,UP,10000> mtu 1500
qdisc noqueue
  link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
14: vlan111@bond0: <BROADCAST,MULTICAST,PROMISC,MASTER,UP,10000> mtu 1500
qdisc noqueue
  link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
16: vlan222@bond0: <BROADCAST,MULTICAST,PROMISC,MASTER,UP,10000> mtu 1500
qdisc noqueue
  link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
18: brdmz: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
20: brext: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
22: brint: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
  inet 192.168.5.4/24 brd 192.168.5.255 scope global brint
24: brtorg: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:15:60:ab:61:b4 brd ff:ff:ff:ff:ff:ff
5: veth777.0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:18:51:fb:68:f8 brd ff:ff:ff:ff:ff:ff
7: veth777.1: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:18:51:39:93:e3 brd ff:ff:ff:ff:ff:ff
9: veth777.2: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:18:51:73:a8:23 brd ff:ff:ff:ff:ff:ff
11: veth777.3: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:18:51:af:80:0d brd ff:ff:ff:ff:ff:ff
13: veth1001.0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:18:51:dd:be:bf brd ff:ff:ff:ff:ff:ff
15: veth221.0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
  link/ether 00:18:51:83:cd:79 brd ff:ff:ff:ff:ff:ff

```

bridge name	bridge id	STP enabled	interfaces
brdmz	8000.001560ab61b4	no	vlan111
		veth221.0	
		veth777.1	
		veth1001.0	
brext	8000.001560ab61b4	no	vlan36
		veth777.2	
brint	8000.001560ab61b4	no	vlan5

brtorg	8000.001560ab61b4	veth777.0 no veth777.3	vlan222
--------	-------------------	------------------------------	---------
