
Subject: Re: pspace name

Posted by [Sukadev Bhattiprolu](#) on Thu, 07 Sep 2006 16:10:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Cedric Le Goater [clg@fr.ibm.com] wrote:

| all,

| 'pspace' sounds wrong when you know about the other namespaces :

```
| struct nsproxy {  
|   atomic_t count;  
|   spinlock_t nslock;  
|   struct uts_namespace *uts_ns;  
|   struct ipc_namespace *ipc_ns;  
|   struct user_namespace *user_ns;  
|   struct namespace *namespace;  
| };  
|
```

| 'proc_namespace' might be confusing, what about 'task_namespace' ?

I agree we should rename. I had suggested pid_space to "rhyme" wiht pidmap, but received no ack/nack. I meant to send another mail, specially after the is_init() collision recently.

| 'namespace' should probably be renamed to something like 'mnt_namespace' ?

While at it, should we change CLONE_NEWNS to CLONE_MNTNS ?

| C.

| Containers mailing list
| Containers@lists.osdl.org
| <https://lists.osdl.org/mailman/listinfo/containers>

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
