
Subject: [RFC] [PATCH 3/4] uid_ns: replace i_uid check in fs/namespace.c

Posted by [serue](#) on Tue, 07 Nov 2006 04:20:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

Replace a inode->i_uid==current->fsuid check in fs/namespace.c with the inode_task_same_uid helper, which will eventually be checking uid namespaces.

Signed-off-by: Serge E. Hallyn <serue@us.ibm.com>

fs/namespace.c | 2 +-
1 files changed, 1 insertions(+), 1 deletions(-)

bccafb526d224ae0c82c3370c0056eef5686bb4a

diff --git a/fs/namespace.c b/fs/namespace.c

index ec1a255..e199769 100644

--- a/fs/namespace.c

+++ b/fs/namespace.c

@@ -697,7 +697,7 @@ static int mount_is_safe(struct nameidat

if (S_ISLNK(nd->dentry->d_inode->i_mode))

return -EPERM;

if (nd->dentry->d_inode->i_mode & S_ISVTX) {

- if (current->uid != nd->dentry->d_inode->i_uid)

+ if (!inode_task_same_uid(nd->dentry->d_inode, current))

return -EPERM;

}

/*

--

1.1.6

Containers mailing list

Containers@lists.osdl.org

<https://lists.osdl.org/mailman/listinfo/containers>
