
Subject: [PATCH 1/12] L2 network namespace: current network namespace operations

Posted by [Mishin Dmitry](#) on Wed, 06 Dec 2006 22:24:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Added functions and macros required to operate with current network namespaces.

They are required in order to switch network namespace for incoming packets and to not extend current network interface by addtional network namespace argue.

Signed-off-by: Dmitry Mishin <dim@openvz.org>

```
include/linux/net_namespace.h | 41 ++++++-----+
kernel/nsproxy.c           |  1 +
net/core/net_namespace.c   |  2 ++
3 files changed, 42 insertions(+), 2 deletions(-)

--- linux-2.6.19-rc6-mm2.orig/include/linux/net_namespace.h
+++ linux-2.6.19-rc6-mm2/include/linux/net_namespace.h
@@ -7,6 +7,7 @@

struct net_namespace {
    struct kref kref;
+   struct nsproxy *ns;
};

extern struct net_namespace init_net_ns;
@@ -32,7 +33,27 @@ static inline void put_net_ns(struct net
    kref_put(&ns->kref, free_net_ns);
}

#ifndef CONFIG_MMU
#define current_net_ns (current->nsproxy->net_ns)
+
+static inline struct net_namespace *push_net_ns(struct net_namespace *to)
+{
+   struct nsproxy *orig;
+
+   orig = current->nsproxy;
+   current->nsproxy = to->ns;
+   return orig->net_ns;
+}
+
+static inline void pop_net_ns(struct net_namespace *orig)
+{
+   current->nsproxy = orig->ns;
+}
```

```

+#define net_ns_match(target, ns) ((target) == (ns))
+
+#define net_ns_hash(ns)  ((ns)->hash)
+
+#else /* CONFIG_NET_NS */

#define INIT_NET_NS(net_ns)

@@ -57,6 +78,22 @@ static inline int copy_net_ns(int flags,
static inline void put_net_ns(struct net_namespace *ns)
{
}
#endif
+
#define current_net_ns NULL
+
+static inline struct net_namespace *push_net_ns(struct net_namespace *ns)
+{
+ return NULL;
+}
+
+static inline void pop_net_ns(struct net_namespace *ns)
+{
+}
+
#define net_ns_match(target, ns) ((void)(ns), 1)
+
#define net_ns_hash(ns) (0)
+
#endif /* !CONFIG_NET_NS */

#endif /* _LINUX_NET_NAMESPACE_H */
--- linux-2.6.19-rc6-mm2.orig/kernel/nsproxy.c
+++ linux-2.6.19-rc6-mm2/kernel/nsproxy.c
@@ -534,6 +534,7 @@ asmlinkage long sys_unshare_ns(unsigned
}

if (new_net) {
+ new_net->ns = current->nsproxy;
net = current->nsproxy->net_ns;
current->nsproxy->net_ns = new_net;
new_net = net;
--- linux-2.6.19-rc6-mm2.orig/net/core/net_namespace.c
+++ linux-2.6.19-rc6-mm2/net/core/net_namespace.c
@@ -14,6 +14,7 @@ struct net_namespace init_net_ns = {
.kref = {
.refcount = ATOMIC_INIT(2),
},

```

```
+ .ns = &init_nsproxy,  
};  
  
#ifdef CONFIG_NET_NS  
@@ -32,6 +33,7 @@ static struct net_namespace *clone_net_n  
    return NULL;  
  
    kref_init(&ns->kref);  
+ ns->ns = old_ns->ns;  
    return ns;  
}
```

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
