
Subject: [patch 18/20] [Network namespace] For debug purpose only. Show ref count for current namespace and l

Posted by [Daniel Lezcano](#) on Sun, 10 Dec 2006 21:58:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

Signed-off-by: Daniel Lezcano <dlezcano@fr.ibm.com>

fs/debugfs/net_ns.c | 72 ++
1 files changed, 71 insertions(+), 1 deletion(-)

Index: 2.6.19-rc6-mm2/fs/debugfs/net_ns.c

=====

--- 2.6.19-rc6-mm2.orig/fs/debugfs/net_ns.c

+++ 2.6.19-rc6-mm2/fs/debugfs/net_ns.c

@@ -21,6 +21,7 @@

```
static struct dentry *net_ns_dentry;  
static struct dentry *net_ns_dentry_dev;  
static struct dentry *net_ns_dentry_start;  
+static struct dentry *net_ns_dentry_info;
```

```
static ssize_t net_ns_dev_read_file(struct file *file, char __user *user_buf,  
size_t count, loff_t *ppos)
```

```
@@ -109,6 +110,63 @@ static ssize_t net_ns_start_write_file(s  
return count;  
}
```

```
+static int net_ns_info_open_file(struct inode *inode, struct file *file)
```

```
+{  
+ return 0;  
+}
```

```
+static ssize_t net_ns_info_read_file(struct file *file, char __user *user_buf,  
+ size_t count, loff_t *ppos)
```

```
+{  
+ const unsigned int length = 256;  
+ size_t len;  
+ char buff[length];  
+ char *level;  
+ struct net_namespace *net_ns = current_net_ns;  
+  
+ if (*ppos < 0)  
+ return -EINVAL;  
+ if (*ppos >= count)  
+ return 0;  
+ if (!count)  
+ return 0;
```

```

+
+ switch (net_ns->level) {
+ case NET_NS_LEVEL2:
+ level = "layer 2";
+ break;
+ case NET_NS_LEVEL3:
+ level = "layer 3";
+ break;
+ default:
+ level = "unknown";
+ break;
+ }
+
+ sprintf(buff,"refcnt: %d\nlevel: %s\n",
+ atomic_read(&net_ns->kref.refcount), level);
+
+ len = strlen(buff);
+ if (len > count)
+ len = count;
+
+ if (copy_to_user(user_buf, buff, len))
+ return -EINVAL;
+
+ *ppos += count;
+
+ return count;
+}
+
+static ssize_t net_ns_info_write_file(struct file *file,
+    const char __user *user_buf,
+    size_t count, loff_t *ppos)
+{
+
+ return -EPERM;
+}
+
+
+static struct file_operations net_ns_dev_fops = {
+    .read = net_ns_dev_read_file,
+    .write = net_ns_dev_write_file,
@@ -121,11 +179,17 @@ static struct file_operations net_ns_sta
+    .open = net_ns_start_open_file,
+};

+static struct file_operations net_ns_info_fops = {
+    .read = net_ns_info_read_file,
+    .write = net_ns_info_write_file,
+    .open = net_ns_info_open_file,

```

```

+};
+
static int __init net_ns_init(void)
{
    net_ns_dentry = debugfs_create_dir("net_ns", NULL);

- net_ns_dentry_dev = debugfs_create_file("dev", 0666,
+ net_ns_dentry_dev = debugfs_create_file("dev", 0444,
    net_ns_dentry,
    NULL,
    &net_ns_dev_fops);
@@ -135,11 +199,17 @@ static int __init net_ns_init(void)
    NULL,
    &net_ns_start_fops);

+ net_ns_dentry_info = debugfs_create_file("info", 0444,
+     net_ns_dentry,
+     NULL,
+     &net_ns_info_fops);
+
    return 0;
}

static void __exit net_ns_exit(void)
{
+ debugfs_remove(net_ns_dentry_info);
    debugfs_remove(net_ns_dentry_start);
    debugfs_remove(net_ns_dentry_dev);
    debugfs_remove(net_ns_dentry);

--

```

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
