

---

Subject: Re: [PATCH 10/12] L2 network namespace: playing with pass-through device

Posted by [Vlad Yasevich](#) on Tue, 12 Dec 2006 14:52:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dmitry Mishin wrote:

> On Tuesday 12 December 2006 17:19, Daniel Lezcano wrote:

>> Dmitry Mishin wrote:

>>

>>>>> Why do yo need to have a child list and sibling list ?

>>>>> Because of the level2<->level3 hierarchy, for example.

>>>> This hierarchy doesn't exist with ns->parent ? Do you have an example

>>>> when the hierarchy should be used ? I mean when we need to browse from

>>>> l2 -> l3 ?

>>> For example, to check that new ifaddr is already used by child l3 namespace.

>> The devinet isolation does already do that, you can not add a new ifaddr

>> if it already exists. Do you have another example ?

> Could devinet isolation provide ifaddrs list with namespaces?

I hope the answer is yes... It seems to me that we do way to many lookups like this:

```
+ rcu_read_lock();
+ in_dev = __in_dev_get_rcu(dev);
+ if (!in_dev)
+   goto no_in_dev;
+
+ for_ifa(in_dev) {
```

in the proposed L3 code.

> What will be with child namespaces if you decide to destroy parent namespace?

> If we decide to destroy them, than how we could get their list?

I think they should be destroyed as well. This is where the child\_list will/should be used.

However, I don't see a need for sibling\_list until interface migration is done.

-vlad

---

Containers mailing list

[Containers@lists.osdl.org](mailto:Containers@lists.osdl.org)

<https://lists.osdl.org/mailman/listinfo/containers>

---