

---

Subject: Re: semantics for namespace naming

Posted by [Herbert Poetzl](#) on Sun, 17 Dec 2006 19:18:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On Thu, Dec 14, 2006 at 09:36:31AM -0600, Serge E. Hallyn wrote:

[lot of stuff zapped here]

> Quoting Cedric Le Goater (clg@fr.ibm.com):

> > how do you enter only a subset of namespaces of a nsproxy/container

> > and not all of it ?

>

> one container corresponds to one nsproxy which is one set of

> namespaces. Are you asking how you would only switch your pid

> namespace but keep your network namespace as the original?

>

> I'm not sure that's something we want/need to support.

I can, we use this for several purposes, one is to extend or modify the VFS namespace by mounting or unmounting filesystems \_into\_ the guest

> (Can you cite a use case?)

> But since I haven't specified how to ask for the nsproxy switch

> anyway, it's too early to ask how we add a flag to specify a

> namespace subset :)

we (Linux-VServer) extended the set/enter\_namespace command to take a flag mask similar to unshare (only 64bit wide :) to allow for 'selecting' the proper spaces

note: the nsproxy a context is referring to can also be changed this way, and a privileged process can enter each guest space separately ...

[more stuff zapped here]

best,  
Herbert

---

Containers mailing list

[Containers@lists.osdl.org](mailto:Containers@lists.osdl.org)

<https://lists.osdl.org/mailman/listinfo/containers>

---