
Subject: [PATCH 4/8] user ns: hook permission
Posted by [serue](#) on Tue, 19 Dec 2006 23:00:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Serge E. Hallyn <serue@us.ibm.com>
Subject: [PATCH 4/8] user ns: hook permission

Hook permission to check vfsmnt->user_ns against current.

Signed-off-by: Serge E. Hallyn <serue@us.ibm.com>

fs/namei.c | 4 +
1 files changed, 4 insertions(+), 0 deletions(-)

```
diff --git a/fs/namei.c b/fs/namei.c
index e4f108f..d6687af 100644
--- a/fs/namei.c
+++ b/fs/namei.c
@@ -246,6 +246,8 @@ int permission(struct inode *inode, int
     return -EACCES;
 }

+ if (nd && !task_mnt_same_uidns(current, nd->mnt))
+ return -EACCES;

/*
 * MAY_EXEC on regular files requires special handling: We override
@@ -433,6 +435,8 @@ static int exec_permission_lite(struct i
{
    umode_t mode = inode->i_mode;

+ if (!task_mnt_same_uidns(current, nd->mnt))
+ return -EACCES;
    if (inode->i_op && inode->i_op->permission)
        return -EAGAIN;

--
1.4.1
```

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
