
Subject: Re: [RFC][PATCH] Use task_pgrp()/task_session() in copy_process
Posted by [Sukadev Bhattiprolu](#) on Thu, 11 Jan 2007 19:44:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dave Hansen [haveblue@us.ibm.com] wrote:

| On Thu, 2007-01-11 at 07:58 -0800, Sukadev Bhattiprolu wrote:

```
| > =====  
| > --- lx26-20-rc2-mm1.orig/kernel/fork.c 2007-01-11 07:18:03.383853328 -0800  
| > +++ lx26-20-rc2-mm1/kernel/fork.c 2007-01-11 07:19:55.550801360 -0800  
| > @@ -1248,8 +1248,13 @@ static struct task_struct *copy_process(  
| >     p->signal->tty = current->signal->tty;  
| >     p->signal->pgrp = process_group(current);  
| >     set_signal_session(p->signal, process_session(current));  
| > - find_attach_pid(p, PIDTYPE_PGID, process_group(p));  
| > - find_attach_pid(p, PIDTYPE_SID, process_session(p));  
| > + if (current->pid) {  
| > +     attach_pid(p, PIDTYPE_PGID, task_pgrp(current));  
| > +     attach_pid(p, PIDTYPE_SID, task_session(current));  
| > + } else {  
| > +     find_attach_pid(p, PIDTYPE_PGID, process_group(current));  
| > +     find_attach_pid(p, PIDTYPE_SID, process_session(current));  
| > + }  
| >  
| >     list_add_tail_rcu(&p->tasks, &init_task.tasks);  
| >     __get_cpu_var(process_counts)++;  
|
```

| I know I've asked this before (and I know I'm going to ask it again),
| but why do we need both task_pgrp() and process_group() to both have
| similar-sounding names and both take the same kind of argument? :) This
| stuff really needs to get cleaned up. It makes reviewing these
| patches much harder.

We are phasing out process_group(), process_session() which return a
pid_t. I guess it also points to not having a special case for swapper.

|
| In general, you should keep the hacks (which this is) to boot and
| init-time stuff. If you can initialize a structure so that it plays
| nicely for the rest of its life, do that. Don't put special cases in
| common code that everybody will have to look at.

```
| > Since task_pid() task_pgrp(), task_session() for the swapper are NULL, I  
| > had to treat swapper as special in this patch and would like some comments.
```

| Can you do some research and find out why these are NULL, and why they
| need to be kept NULL?

task_struct for swapper is initialized by hand (INIT_TASK, INIT_SIGNALS etc) but no struct pid is ever allocated and attached to the swapper. This is normally done in copy_process() and so is done for all other processes starting with pid_t = 1 (/sbin/init).

I am trying to understand if there is a history to it and if they need to be kept NULL.

|
| -- Dave

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
