
Subject: Re: + attach_pid-with-struct-pid-parameter.patch added to -mm tree
Posted by [ebiederm](#) on Thu, 11 Jan 2007 21:48:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

akpm@osdl.org writes:

> The patch titled
> attach_pid() with struct pid parameter
> has been added to the -mm tree. Its filename is
> attach_pid-with-struct-pid-parameter.patch
>
> *** Remember to use Documentation/SubmitChecklist when testing your code ***
>
> See <http://www.zip.com.au/~akpm/linux/patches/stuff/added-to-mm.txt> to find
> out what to do about this
>
> -----
> Subject: attach_pid() with struct pid parameter
> From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
>
> Implement a new version of attach_pid() with a struct pid parameter and wrap
> find_attach_pid() around it. attach_pid() would also be used in subsequent
> container patches.

I guess these two patches work. But it sure looks like the long way around
as a way of changing the argument to attach_pid.

As incremental step couldn't we just have changed the callers to:
attach_pid(task, type, find_pid(nr)).

Not that I think changing all of the callers to actually pass in the correct
struct pid is going to be much of a problem.

It just seems like a whole lot of unnecessary thrash to change them
all to find_attach_pid and then back to attach_pid.

Eric

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
