

---

Subject: [PATCH 3/59] sysctl: sunrpc Remove unnecessary insert\_at\_head flag  
Posted by [ebiederm](#) on Tue, 16 Jan 2007 16:39:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

From: Eric W. Biederman <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)> - unquoted

Because the sunrpc sysctls don't conflict with any other sysctls the setting the insert at head flag to register\_sysctl has no semantic meaning.

Signed-off-by: Eric W. Biederman <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)>

---

```
net/sunrpc/sysctl.c | 2 +-  
net/sunrpc/xprtsock.c | 2 +-  
2 files changed, 2 insertions(+), 2 deletions(-)
```

```
diff --git a/net/sunrpc/sysctl.c b/net/sunrpc/sysctl.c
```

```
index 82b2752..3852689 100644
```

```
--- a/net/sunrpc/sysctl.c
```

```
+++ b/net/sunrpc/sysctl.c
```

```
@@ -36,7 +36,7 @@ void
```

```
rpc_register_sysctl(void)
```

```
{  
    if (!sunrpc_table_header) {
```

```
- sunrpc_table_header = register_sysctl_table(sunrpc_table, 1);
```

```
+ sunrpc_table_header = register_sysctl_table(sunrpc_table, 0);
```

```
#ifdef CONFIG_PROC_FS
```

```
    if (sunrpc_table[0].de)
```

```
        sunrpc_table[0].de->owner = THIS_MODULE;
```

```
diff --git a/net/sunrpc/xprtsock.c b/net/sunrpc/xprtsock.c
```

```
index 49cabff..98d1af9 100644
```

```
--- a/net/sunrpc/xprtsock.c
```

```
+++ b/net/sunrpc/xprtsock.c
```

```
@@ -1630,7 +1630,7 @@ int init_socket_xprt(void)
```

```
{  
#ifdef RPC_DEBUG  
    if (!sunrpc_table_header) {
```

```
- sunrpc_table_header = register_sysctl_table(sunrpc_table, 1);
```

```
+ sunrpc_table_header = register_sysctl_table(sunrpc_table, 0);
```

```
#ifdef CONFIG_PROC_FS
```

```
    if (sunrpc_table[0].de)
```

```
        sunrpc_table[0].de->owner = THIS_MODULE;
```

```
--
```

```
1.4.4.1.g278f
```

---

Containers mailing list  
[Containers@lists.osdl.org](mailto:Containers@lists.osdl.org)

