
Subject: [PATCH 6/59] sysctl: netrom remove unnecessary insert_at_head flag
Posted by [ebiederm](#) on Tue, 16 Jan 2007 16:39:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Eric W. Biederman <ebiederm@xmission.com> - unquoted

The sysctl numbers used are unique so setting the insert_at_head flag serves no semantic purpose, so it is just confusing.

Signed-off-by: Eric W. Biederman <ebiederm@xmission.com>

net/netrom/sysctl_net_netrom.c | 2 +-
1 files changed, 1 insertions(+), 1 deletions(-)

diff --git a/net/netrom/sysctl_net_netrom.c b/net/netrom/sysctl_net_netrom.c
index 6bb8dda..09f4246 100644

--- a/net/netrom/sysctl_net_netrom.c
+++ b/net/netrom/sysctl_net_netrom.c
@@ -192,7 +192,7 @@ static ctl_table nr_root_table[] = {

void __init nr_register_sysctl(void)
{
- nr_table_header = register_sysctl_table(nr_root_table, 1);
+ nr_table_header = register_sysctl_table(nr_root_table, 0);
}

void nr_unregister_sysctl(void)

--

1.4.4.1.g278f

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
