
Subject: [PATCH 11/59] sysctl: ax25 remove unnecessary insert_at_head flag

Posted by [ebiederm](#) on Tue, 16 Jan 2007 16:39:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

From: Eric W. Biederman <ebiederm@xmission.com> - unquoted

Signed-off-by: Eric W. Biederman <ebiederm@xmission.com>

net/ax25/sysctl_net_ax25.c | 2 +-
1 files changed, 1 insertions(+), 1 deletions(-)

diff --git a/net/ax25/sysctl_net_ax25.c b/net/ax25/sysctl_net_ax25.c

index d23a27f..afdba04 100644

--- a/net/ax25/sysctl_net_ax25.c

+++ b/net/ax25/sysctl_net_ax25.c

@@ -245,7 +245,7 @@ void ax25_register_sysctl(void)

ax25_dir_table[0].child = ax25_table;

- ax25_table_header = register_sysctl_table(ax25_root_table, 1);

+ ax25_table_header = register_sysctl_table(ax25_root_table, 0);

}

void ax25_unregister_sysctl(void)

--

1.4.4.1.g278f

Containers mailing list

Containers@lists.osdl.org

<https://lists.osdl.org/mailman/listinfo/containers>
