
Subject: [PATCH 22/59] sysctl: frv pm remove unnecessary insert_at_head flag
Posted by [ebiederm](#) on Tue, 16 Jan 2007 16:39:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

From: Eric W. Biederman <ebiederm@xmission.com> - unquoted

With unique binary numbers setting insert_at_head to insert yourself at the head of sysctl list and thus override existing sysctl entries serves no point.

Signed-off-by: Eric W. Biederman <ebiederm@xmission.com>

arch/frv/kernel/pm.c | 2 +-
1 files changed, 1 insertions(+), 1 deletions(-)

diff --git a/arch/frv/kernel/pm.c b/arch/frv/kernel/pm.c

index 6b76466..c1840d6 100644

--- a/arch/frv/kernel/pm.c

+++ b/arch/frv/kernel/pm.c

@@ -419,7 +419,7 @@ static struct ctl_table pm_dir_table[] =
*/

```
static int __init pm_init(void)
{
- register_sysctl_table(pm_dir_table, 1);
+ register_sysctl_table(pm_dir_table, 0);
  return 0;
}
```

--

1.4.4.1.g278f

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
