
Subject: [PATCH 28/59] sysctl: C99 Convert arch/ia64/sn/kernel/xpc_main.c
Posted by [ebiederm](#) on Tue, 16 Jan 2007 16:39:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Eric W. Biederman <ebiederm@xmission.com> - unquoted

Signed-off-by: Eric W. Biederman <ebiederm@xmission.com>

arch/ia64/sn/kernel/xpc_main.c | 86 ++++++-----
1 files changed, 38 insertions(+), 48 deletions(-)

diff --git a/arch/ia64/sn/kernel/xpc_main.c b/arch/ia64/sn/kernel/xpc_main.c
index 24adb75..e04f7b5 100644

--- a/arch/ia64/sn/kernel/xpc_main.c

+++ b/arch/ia64/sn/kernel/xpc_main.c

@@ -101,67 +101,57 @@ static int xpc_disengage_request_max_timelimit = 120;

```
static ctl_table xpc_sys_xpc_hb_dir[] = {
{
- CTL_UNNUMBERED,
- "hb_interval",
- &xpc_hb_interval,
- sizeof(int),
- 0644,
- NULL,
- &proc_dointvec_minmax,
- &sysctl_intvec,
- NULL,
- &xpc_hb_min_interval,
- &xpc_hb_max_interval
+ .ctl_name = CTL_UNNUMBERED,
+ .procname = "hb_interval",
+ .data = &xpc_hb_interval,
+ .maxlen = sizeof(int),
+ .mode = 0644,
+ .proc_handler = &proc_dointvec_minmax,
+ .strategy = &sysctl_intvec,
+ .extra1 = &xpc_hb_min_interval,
+ .extra2 = &xpc_hb_max_interval
},
{
- CTL_UNNUMBERED,
- "hb_check_interval",
- &xpc_hb_check_interval,
- sizeof(int),
- 0644,
- NULL,
- &proc_dointvec_minmax,
```

```

- &sysctl_intvec,
- NULL,
- &xpc_hb_check_min_interval,
- &xpc_hb_check_max_interval
+ .ctl_name = CTL_UNNUMBERED,
+ .procname = "hb_check_interval",
+ .data = &xpc_hb_check_interval,
+ .maxlen = sizeof(int),
+ .mode = 0644,
+ .proc_handler = &proc_dointvec_minmax,
+ .strategy = &sysctl_intvec,
+ .extra1 = &xpc_hb_check_min_interval,
+ .extra2 = &xpc_hb_check_max_interval
},
- {0}
+ {}
};
static ctl_table xpc_sys_xpc_dir[] = {
{
- CTL_UNNUMBERED,
- "hb",
- NULL,
- 0,
- 0555,
- xpc_sys_xpc_hb_dir
+ .ctl_name = CTL_UNNUMBERED,
+ .procname = "hb",
+ .mode = 0555,
+ .child = xpc_sys_xpc_hb_dir
},
{
- CTL_UNNUMBERED,
- "disengage_request_timelimit",
- &xpc_disengage_request_timelimit,
- sizeof(int),
- 0644,
- NULL,
- &proc_dointvec_minmax,
- &sysctl_intvec,
- NULL,
- &xpc_disengage_request_min_timelimit,
- &xpc_disengage_request_max_timelimit
+ .ctl_name = CTL_UNNUMBERED,
+ .procname = "disengage_request_timelimit",
+ .data = &xpc_disengage_request_timelimit,
+ .maxlen = sizeof(int),
+ .mode = 0644,
+ .proc_handler = &proc_dointvec_minmax,

```

```

+ .strategy = &sysctl_intvec,
+ .extra1 = &xpc_disengage_request_min_timelimit,
+ .extra2 = &xpc_disengage_request_max_timelimit
  },
- {0}
+ {}
};
static ctl_table xpc_sys_dir[] = {
{
- CTL_UNNUMBERED,
- "xpc",
- NULL,
- 0,
- 0555,
- xpc_sys_xpc_dir
+ .ctl_name = CTL_UNNUMBERED,
+ .procname = "xpc",
+ .mode = 0555,
+ .child = xpc_sys_xpc_dir
  },
- {0}
+ {}
};
static struct ctl_table_header *xpc_sysctl;

```

--

1.4.4.1.g278f

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
