
Subject: [PATCH 49/59] sysctl: Move init_irq_proc into init/main where it belongs
Posted by [ebiederm](#) on Tue, 16 Jan 2007 16:39:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Eric W. Biederman <ebiederm@xmission.com> - unquoted

Signed-off-by: Eric W. Biederman <ebiederm@xmission.com>

init/main.c | 3 +++
kernel/sysctl.c | 3 ---
2 files changed, 3 insertions(+), 3 deletions(-)

```
diff --git a/init/main.c b/init/main.c
index 8b4a7d7..8af5c6e 100644
--- a/init/main.c
+++ b/init/main.c
@@ -691,6 +691,9 @@ static void __init do_basic_setup(void)
#ifdef CONFIG_SYSCTL
    sysctl_init();
#endif
+#ifdef CONFIG_PROC_FS
+ init_irq_proc();
+#endif
```

```
    do_initcalls();
}
diff --git a/kernel/sysctl.c b/kernel/sysctl.c
index 600b333..7420761 100644
--- a/kernel/sysctl.c
+++ b/kernel/sysctl.c
@@ -1172,8 +1172,6 @@ static ctl_table dev_table[] = {
    { .ctl_name = 0 }
};
```

```
-extern void init_irq_proc (void);
```

```
-
static DEFINE_SPINLOCK(sysctl_lock);
```

```
/* called under sysctl_lock */
@@ -1219,7 +1217,6 @@ void __init sysctl_init(void)
{
#ifdef CONFIG_PROC_SYSCTL
    register_proc_table(root_table, proc_sys_root, &root_table_header);
- init_irq_proc();
#endif
}
```

--

1.4.4.1.g278f

Containers mailing list

Containers@lists.osdl.org

<https://lists.osdl.org/mailman/listinfo/containers>
