

---

Subject: Re: [PATCH 36/59] sysctl: C99 convert ctl\_tables entries in arch/ppc/kernel/ppc\_htab.c

Posted by [Benjamin Herrenschmid](#) on Wed, 17 Jan 2007 03:16:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On Tue, 2007-01-16 at 09:39 -0700, Eric W. Biederman wrote:

> From: Eric W. Biederman <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)> - unquoted

>

> And make the mode of the kernel directory 0555 no one is allowed

> to write to sysctl directories.

>

> Signed-off-by: Eric W. Biederman <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)>

Acked-by: Benjamin Herrenschmidt <[benh@kernel.crashing.org](mailto:benh@kernel.crashing.org)>

> ---

> arch/ppc/kernel/ppc\_htab.c | 11 ++++++++---

> 1 files changed, 8 insertions(+), 3 deletions(-)

>

> diff --git a/arch/ppc/kernel/ppc\_htab.c b/arch/ppc/kernel/ppc\_htab.c

> index bd129d3..77b20ff 100644

> --- a/arch/ppc/kernel/ppc\_htab.c

> +++ b/arch/ppc/kernel/ppc\_htab.c

> @@ -442,11 +442,16 @@ static ctl\_table htab\_ctl\_table[]={

> .mode = 0644,

> .proc\_handler = &proc\_dol2crvec,

> },

> - { 0, },

> + {}

> };

> static ctl\_table htab\_sysctl\_root[] = {

> - { 1, "kernel", NULL, 0, 0755, htab\_ctl\_table, },

> - { 0,},

> + {

> + .ctl\_name = CTL\_KERN,

> + .procname = "kernel",

> + .mode = 0555,

> + .child = htab\_ctl\_table,

> + },

> + {}

> };

>

> static int \_\_init

---

Containers mailing list

[Containers@lists.osdl.org](mailto:Containers@lists.osdl.org)

<https://lists.osdl.org/mailman/listinfo/containers>

---