
Subject: [PATCH RFC 3/31] net: Add a network namespace parameter to tasks
Posted by [ebiederm](#) on Thu, 25 Jan 2007 19:00:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Eric W. Biederman <ebiederm@xmission.com> - unquoted

This is the network namespace from which all which all sockets
and anything else under user control ultimately get their network
namespace parameters.

Signed-off-by: Eric W. Biederman <ebiederm@xmission.com>

include/linux/nsproxy.h | 2 ++
1 files changed, 2 insertions(+), 0 deletions(-)

diff --git a/include/linux/nsproxy.h b/include/linux/nsproxy.h
index 0b9f0dc..cc76610 100644

--- a/include/linux/nsproxy.h
+++ b/include/linux/nsproxy.h
@@ -3,6 +3,7 @@

#include <linux/spinlock.h>
#include <linux/sched.h>
+#include <linux/net_namespace_type.h>

struct mnt_namespace;
struct uts_namespace;
@@ -28,6 +29,7 @@ struct nsproxy {
 struct ipc_namespace *ipc_ns;
 struct mnt_namespace *mnt_ns;
 struct pid_namespace *pid_ns;
+ net_t net_ns;
};
extern struct nsproxy init_nsproxy;

--
1.4.4.1.g278f

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
