

---

Subject: - attach\_pid-with-struct-pid-parameter.patch removed from -mm tree

Posted by [Andrew Morton](#) on Thu, 01 Feb 2007 01:25:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

The patch titled

attach\_pid() with struct pid parameter

has been removed from the -mm tree. Its filename was

attach\_pid-with-struct-pid-parameter.patch

This patch was dropped because an updated version will be merged

---

-----  
Subject: attach\_pid() with struct pid parameter

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Implement a new version of attach\_pid() with a struct pid parameter and wrap  
find\_attach\_pid() around it. attach\_pid() would also be used in subsequent  
container patches.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Cc: Cedric Le Goater <cclg@fr.ibm.com>

Cc: Dave Hansen <haveblue@us.ibm.com>

Cc: Serge Hallyn <serue@us.ibm.com>

Cc: <containers@lists.osdl.org>

Signed-off-by: Andrew Morton <akpm@osdl.org>

---

include/linux/pid.h | 28 ++++++-----

kernel/pid.c | 7 +----

2 files changed, 20 insertions(+), 15 deletions(-)

diff -puN include/linux/pid.h~attach\_pid-with-struct-pid-parameter include/linux/pid.h

--- a/include/linux/pid.h~attach\_pid-with-struct-pid-parameter

+++ a/include/linux/pid.h

@@ -72,17 +72,6 @@ extern struct task\_struct \*FASTCALL(get\_  
extern struct pid \*get\_task\_pid(struct task\_struct \*task, enum pid\_type type);

/\*

- \* find\_attach\_pid() and detach\_pid() must be called with the tasklist\_lock  
- \* write-held.

- \*/

-extern int FASTCALL(find\_attach\_pid(struct task\_struct \*task,  
- enum pid\_type type, int nr));

-

-extern void FASTCALL(detach\_pid(struct task\_struct \*task, enum pid\_type));

-extern void FASTCALL(transfer\_pid(struct task\_struct \*old,

- struct task\_struct \*new, enum pid\_type));

-

```

/*
 * look up a PID in the hash table. Must be called with the tasklist_lock
 * or rcu_read_lock() held.
 */
@@ -94,6 +83,23 @@ extern struct pid *FASTCALL(find_pid(int
extern struct pid *find_get_pid(int nr);
extern struct pid *find_ge_pid(int nr);

+/*
+ * attach_pid(), find_attach_pid() and detach_pid() must be called with the
+ * tasklist_lock write-held.
+ */
+extern int FASTCALL(attach_pid(struct task_struct *task, enum pid_type type,
+    struct pid *pid));
+
+static inline int find_attach_pid(struct task_struct *task, enum pid_type type,
+    int nr)
+{
+    return attach_pid(task, type, find_pid(nr));
+}
+
+extern void FASTCALL(detach_pid(struct task_struct *task, enum pid_type));
+extern void FASTCALL(transfer_pid(struct task_struct *old,
+    struct task_struct *new, enum pid_type));
+
extern struct pid *alloc_pid(void);
extern void FASTCALL(free_pid(struct pid *pid));

diff -puN kernel/pid.c~attach_pid-with-struct-pid-parameter kernel/pid.c
--- a/kernel/pid.c~attach_pid-with-struct-pid-parameter
+++ a/kernel/pid.c
@@ -247,14 +247,13 @@ struct pid * fastcall find_pid(int nr)
}
EXPORT_SYMBOL_GPL(find_pid);

-int fastcall find_attach_pid(struct task_struct *task, enum pid_type type,
-    int nr)
+int fastcall attach_pid(struct task_struct *task, enum pid_type type,
+    struct pid *pid)
{
    struct pid_link *link;
-    struct pid *pid;

    link = &task->pids[type];
-    link->pid = pid = find_pid(nr);
+    link->pid = pid;
    hlist_add_head_rcu(&link->node, &pid->tasks[type]);

```

```
return 0;
```

---

Patches currently in -mm which might be from sukadev@us.ibm.com are

attach\_pid-with-struct-pid-parameter.patch  
remove-find\_attach\_pid.patch  
statically-initialize-struct-pid-for-swapper.patch  
explicitly-set-pgid-sid-of-init.patch

---

Containers mailing list

Containers@lists.osdl.org

<https://lists.osdl.org/mailman/listinfo/containers>

---