
Subject: [PATCH] pidspace rocket driver

Posted by [Sukadev Bhattiprolu](#) on Thu, 22 Feb 2007 23:31:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Subject: [PATCH] pidspace rocket driver

The process_session() and process_group() values are not really used by the driver.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Cc: Cedric Le Goater <clg@fr.ibm.com>

Cc: Dave Hansen <haveblue@us.ibm.com>

Cc: Serge Hallyn <serue@us.ibm.com>

Cc: containers@lists.osdl.org

```
drivers/char/rocket.c | 3 ---
drivers/char/rocket_int.h | 2 --
2 files changed, 5 deletions(-)
```

Index: lx26-20-mm1/drivers/char/rocket.c

```
=====
--- lx26-20-mm1.orig/drivers/char/rocket.c 2007-02-16 14:32:40.000000000 -0800
+++ lx26-20-mm1/drivers/char/rocket.c 2007-02-16 15:42:42.000000000 -0800
@@ -1018,9 +1018,6 @@ static int rp_open(struct tty_struct *tt
/*
 * Info->count is now 1; so it's safe to sleep now.
 */
- info->session = process_session(current);
- info->pgrp = process_group(current);
-
if ((info->flags & ROCKET_INITIALIZED) == 0) {
    cp = &info->channel;
    sSetRxTrigger(cp, TRIG_1);
```

Index: lx26-20-mm1/drivers/char/rocket_int.h

```
=====
--- lx26-20-mm1.orig/drivers/char/rocket_int.h 2007-02-04 10:44:54.000000000 -0800
+++ lx26-20-mm1/drivers/char/rocket_int.h 2007-02-16 15:42:42.000000000 -0800
@@ -1156,8 +1156,6 @@ struct r_port {
    int xmit_head;
    int xmit_tail;
    int xmit_cnt;
- int session;
- int pgrp;
    int cd_status;
    int ignore_status_mask;
    int read_status_mask;
```

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
