
Subject: Re: [PATCH] Merge sys_clone() and sys_unshare() nsproxy handling
Posted by [serue](#) on Tue, 27 Feb 2007 05:05:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quoting Badari Pulavarty (pbadari@us.ibm.com):

> Hi,
>
> sys_clone() and sys_unshare() handles copy/clone of nsproxy
> and its associated namespaces differently.
>
> This patch merges all the handling into common functions
> (as much as possible).
>
> Please review. If no objections, I would like to submit for
> inclusion into -mm.

Thanks, Badari, this looks great. Barring failures in the set of tests I just fired off, I'd love to see this merged.

thanks,
-serge

> Ran standard LTP tests, unshare uts, ipc tests fine.
>
> Thanks,
> Badari
>
> Merge sys_clone/sys_unshare nsproxy and namespace copy handling.
>
> - Create a new nsproxy and its associated namespaces and pass it
> back to caller to attach it to right process.
>
> - Changed all copy_*_ns() routines to attach the namespace to
> passed in new nsproxy instead of task->nsproxy.
>
> - Get rid of all individual unshare_*_ns() routines and make
> use of copy_*_ns() instead.
>
>
> Signed-off-by: Badari Pulavarty <pbadari@us.ibm.com>
> ---
> fs/namespace.c | 11 +-
> include/linux/ipc.h | 8 +-
> include/linux/mnt_namespace.h | 5 -
> include/linux/nsproxy.h | 2
> include/linux/pid_namespace.h | 3
> include/linux/utsname.h | 16 -----
> ipc/util.c | 24 -----

```

> kernel/fork.c      |  85 +-----
> kernel/nsproxy.c   | 133 ++++++-----+
> kernel/pid.c       |   4 -
> kernel/utsname.c   |   24 -----
> 11 files changed, 113 insertions(+), 202 deletions(-)
>
> Index: linux-2.6.21-rc1/fs/namespace.c
> =====
> --- linux-2.6.21-rc1.orig/fs/namespace.c 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/fs/namespace.c 2007-02-26 10:27:42.000000000 -0800
> @@ -1441,10 +1441,9 @@ dput_out:
>   * Allocate a new namespace structure and populate it with contents
>   * copied from the namespace of the passed in task structure.
>   */
> -struct mnt_namespace *dup_mnt_ns(struct task_struct *tsk,
> +static struct mnt_namespace *dup_mnt_ns(struct mnt_namespace *mnt_ns,
>   struct fs_struct *fs)
> {
> - struct mnt_namespace *mnt_ns = tsk->nsproxy->mnt_ns;
>   struct mnt_namespace *new_ns;
>   struct vfsmount *rootmnt = NULL, *pwdmnt = NULL, *altrootmnt = NULL;
>   struct vfsmount *p, *q;
> @@ -1509,9 +1508,9 @@ struct mnt_namespace *dup_mnt_ns(struct
>   return new_ns;
> }
>
> -int copy_mnt_ns(int flags, struct task_struct *tsk)
> +int copy_mnt_ns(int flags, struct mnt_namespace *ns, struct nsproxy *new_nsp,
> + struct fs_struct *new_fs)
> {
> - struct mnt_namespace *ns = tsk->nsproxy->mnt_ns;
>   struct mnt_namespace *new_ns;
>   int err = 0;
>
> @@ -1528,13 +1527,13 @@ int copy_mnt_ns(int flags, struct task_s
>   goto out;
> }
>
> - new_ns = dup_mnt_ns(tsk, tsk->fs);
> + new_ns = dup_mnt_ns(ns, new_fs);
>   if (!new_ns) {
>     err = -ENOMEM;
>     goto out;
>   }
>
> - tsk->nsproxy->mnt_ns = new_ns;
> + new_nsp->mnt_ns = new_ns;
>

```

```

> out:
> put_mnt_ns(ns);
> Index: linux-2.6.21-rc1/include/linux/mnt_namespace.h
> =====
> --- linux-2.6.21-rc1.orig/include/linux/mnt_namespace.h 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/include/linux/mnt_namespace.h 2007-02-26 10:27:42.000000000 -0800
> @@ -14,10 +14,9 @@ struct mnt_namespace {
>   int event;
> };
>
> -extern int copy_mnt_ns(int, struct task_struct *);
> -extern void __put_mnt_ns(struct mnt_namespace *ns);
> -extern struct mnt_namespace *dup_mnt_ns(struct task_struct *,
> +extern int copy_mnt_ns(int, struct mnt_namespace *, struct nsproxy *,
>   struct fs_struct *);
> +extern void __put_mnt_ns(struct mnt_namespace *ns);
>
> static inline void put_mnt_ns(struct mnt_namespace *ns)
> {
> Index: linux-2.6.21-rc1/kernel/nsproxy.c
> =====
> --- linux-2.6.21-rc1.orig/kernel/nsproxy.c 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/kernel/nsproxy.c 2007-02-26 10:27:42.000000000 -0800
> @@ -38,8 +38,6 @@ void get_task_namespaces(struct task_str
>
> /*
> * creates a copy of "orig" with refcount 1.
> * This does not grab references to the contained namespaces,
> * so that needs to be done by dup_namespaces.
> */
> static inline struct nsproxy *clone_namespaces(struct nsproxy *orig)
> {
> @@ -52,26 +50,50 @@ static inline struct nsproxy *clone_name
> }
>
> /*
> * copies the nsproxy, setting refcount to 1, and grabbing a
> * reference to all contained namespaces. Called from
> * sys_unshare()
> + * Create new nsproxy and all of its the associated namespaces.
> + * Return the newly created nsproxy. Do not attach this to the task,
> + * leave it to the caller to do proper locking and attach it to task.
> */
> -struct nsproxy *dup_namespaces(struct nsproxy *orig)
> +static struct nsproxy *create_new_namespaces(int flags, struct task_struct *tsk,
> + struct fs_struct *new_fs)
> {
> - struct nsproxy *ns = clone_namespaces(orig);

```

```

> + struct nsproxy *new_nsp;
> + int err;
>
> - if (ns) {
> -   if (ns->mnt_ns)
> -     get_mnt_ns(ns->mnt_ns);
> -   if (ns->uts_ns)
> -     get_uts_ns(ns->uts_ns);
> -   if (ns->ipc_ns)
> -     get_ipc_ns(ns->ipc_ns);
> -   if (ns->pid_ns)
> -     get_pid_ns(ns->pid_ns);
> - }
> + new_nsp = clone_namespaces(tsk->nsproxy);
> + if (!new_nsp)
> +   return ERR_PTR(-ENOMEM);
>
> - return ns;
> + err = copy_mnt_ns(flags, tsk->nsproxy->mnt_ns, new_nsp, new_fs);
> + if (err)
> +   goto out_ns;
> +
> + err = copy_utsname(flags, tsk->nsproxy->uts_ns, new_nsp);
> + if (err)
> +   goto out_uts;
> +
> + err = copy_ipcs(flags, tsk->nsproxy->ipc_ns, new_nsp);
> + if (err)
> +   goto out_ipc;
> +
> + err = copy_pid_ns(flags, tsk->nsproxy->pid_ns, new_nsp);
> + if (err)
> +   goto out_pid;
> +
> + return new_nsp;
> +
> +out_pid:
> + if (new_nsp->ipc_ns)
> +   put_ipc_ns(new_nsp->ipc_ns);
> +out_ipc:
> + if (new_nsp->uts_ns)
> +   put_uts_ns(new_nsp->uts_ns);
> +out_uts:
> + if (new_nsp->mnt_ns)
> +   put_mnt_ns(new_nsp->mnt_ns);
> +out_ns:
> + kfree(new_nsp);
> + return ERR_PTR(err);

```

```

> }
>
> /*
> @@ -92,47 +114,16 @@ int copy_namespaces(int flags, struct ta
> if (!(flags & (CLONE_NEWNS | CLONE_NEWUTS | CLONE_NEWIPC)))
>     return 0;
>
> - new_ns = clone_namespaces(old_ns);
> - if (!new_ns) {
> -     err = -ENOMEM;
> + new_ns = create_new_namespaces(flags, tsk, tsk->fs);
> + if (IS_ERR(new_ns)) {
> +     err = PTR_ERR(new_ns);
>     goto out;
> }
>
>     tsk->nsproxy = new_ns;
> -
> - err = copy_mnt_ns(flags, tsk);
> - if (err)
> -     goto out_ns;
> -
> - err = copy_utsname(flags, tsk);
> - if (err)
> -     goto out_uts;
> -
> - err = copy_ipcs(flags, tsk);
> - if (err)
> -     goto out_ipc;
> -
> - err = copy_pid_ns(flags, tsk);
> - if (err)
> -     goto out_pid;
> -
> out:
>     put_nsproxy(old_ns);
>     return err;
> -
> -out_pid:
> - if (new_ns->ipc_ns)
> -     put_ipc_ns(new_ns->ipc_ns);
> -out_ipc:
> - if (new_ns->uts_ns)
> -     put_uts_ns(new_ns->uts_ns);
> -out_uts:
> - if (new_ns->mnt_ns)
> -     put_mnt_ns(new_ns->mnt_ns);
> -out_ns:

```

```

> - tsk->nproxy = old_ns;
> - kfree(new_ns);
> - goto out;
> }
>
> void free_nproxy(struct nproxy *ns)
> @@ -147,3 +138,41 @@ void free_nproxy(struct nproxy *ns)
>   put_pid_ns(ns->pid_ns);
>   kfree(ns);
> }
> +
> +/*
> + * Called from unshare. Unshare all the namespaces part of nproxy.
> + * On success, returns the new nproxy and a reference to old nproxy
> + * to make sure it stays around.
> + */
> +int unshare_nproxy_namespaces(unsigned long unshare_flags,
> + struct nproxy **new_nsp, struct fs_struct *new_fs)
> +{
> + struct nproxy *old_ns = current->nproxy;
> + int err = 0;
> +
> + if (!(unshare_flags & (CLONE_NEWNS | CLONE_NEWUTS | CLONE_NEWIPC)))
> + return 0;
> +
> +#ifndef CONFIG_IPC_NS
> + if (unshare_flags & CLONE_NEWIPC)
> + return -EINVAL;
> +#endif
> +
> +#ifndef CONFIG_UTS_NS
> + if (unshare_flags & CLONE_NEWUTS)
> + return -EINVAL;
> +#endif
> +
> + if (!capable(CAP_SYS_ADMIN))
> + return -EPERM;
> +
> + get_nproxy(old_ns);
> +
> + *new_nsp = create_new_namespaces(unshare_flags, current,
> + new_fs ? new_fs : current->fs);
> + if (IS_ERR(*new_nsp)) {
> + err = PTR_ERR(*new_nsp);
> + put_nproxy(old_ns);
> + }
> + return err;
> +}

```

```

> Index: linux-2.6.21-rc1/include/linux/utsname.h
> =====
> --- linux-2.6.21-rc1.orig/include/linux/utsname.h 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/include/linux/utsname.h 2007-02-26 10:27:42.000000000 -0800
> @@ -49,9 +49,7 @@ static inline void get_uts_ns(struct uts
> }
>
> #ifdef CONFIG_UTS_NS
> -extern int unshare_utsname(unsigned long unshare_flags,
> -    struct uts_namespace **new_uts);
> -extern int copy_utsname(int flags, struct task_struct *tsk);
> +extern int copy_utsname(int flags, struct uts_namespace *ns, struct nsproxy *);
> extern void free_uts_ns(struct kref *kref);
>
> static inline void put_uts_ns(struct uts_namespace *ns)
> @@ -59,16 +57,8 @@ static inline void put_uts_ns(struct uts
>     kref_put(&ns->kref, free_uts_ns);
> }
> #else
> -static inline int unshare_utsname(unsigned long unshare_flags,
> -    struct uts_namespace **new_uts)
> -{
> -    if (unshare_flags & CLONE_NEWUTS)
> -        return -EINVAL;
> -
> -    return 0;
> -}
> -
> -static inline int copy_utsname(int flags, struct task_struct *tsk)
> +static inline int copy_utsname(int flags, struct uts_namespace *ns,
> +    struct nsproxy *nsp)
> {
>     return 0;
> }
> Index: linux-2.6.21-rc1/kernel/utsname.c
> =====
> --- linux-2.6.21-rc1.orig/kernel/utsname.c 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/kernel/utsname.c 2007-02-26 10:27:42.000000000 -0800
> @@ -32,32 +32,14 @@ static struct uts_namespace *clone_uts_n
> }
>
> /*
> - * unshare the current process' utsname namespace.
> - * called only in sys_unshare()
> - */
> -int unshare_utsname(unsigned long unshare_flags, struct uts_namespace **new_uts)
> -{
> -    if (unshare_flags & CLONE_NEWUTS) {

```

```

> - if (!capable(CAP_SYS_ADMIN))
> -   return -EPERM;
> -
> - *new_uts = clone_uts_ns(current->nsproxy->uts_ns);
> - if (!*new_uts)
> -   return -ENOMEM;
> - }
> -
> - return 0;
> -}
> -
> -/*
> * Copy task tsk's utsname namespace, or clone it if flags
> * specifies CLONE_NEWUTS. In latter case, changes to the
> * utsname of this process won't be seen by parent, and vice
> * versa.
> */
> -int copy_utsname(int flags, struct task_struct *tsk)
> +int copy_utsname(int flags, struct uts_namespace *old_ns,
> + struct nsproxy *new_nsp)
> {
> - struct uts_namespace *old_ns = tsk->nsproxy->uts_ns;
> - struct uts_namespace *new_ns;
> - int err = 0;
>
> @@ -79,7 +61,7 @@ int copy_utsname(int flags, struct task_
> -   err = -ENOMEM;
> -   goto out;
> - }
> - tsk->nsproxy->uts_ns = new_ns;
> + new_nsp->uts_ns = new_ns;
>
> out:
> - put_uts_ns(old_ns);
> Index: linux-2.6.21-rc1/include/linux/ipc.h
> =====
> --- linux-2.6.21-rc1.orig/include/linux/ipc.h 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/include/linux/ipc.h 2007-02-26 10:27:42.000000000 -0800
> @@ -71,6 +71,7 @@ struct kern_ipc_perm
> };
>
> struct ipc_ids;
> +struct nsproxy;
> struct ipc_namespace {
> - struct kref kref;
> - struct ipc_ids *ids[3];
> @@ -98,10 +99,11 @@ extern struct ipc_namespace init_ipc_ns;
>

```

```

> #ifdef CONFIG_IPC_NS
> extern void free_ipc_ns(struct kref *kref);
> -extern int copy_ipcs(unsigned long flags, struct task_struct *tsk);
> -extern int unshare_ipcs(unsigned long flags, struct ipc_namespace **ns);
> +extern int copy_ipcs(unsigned long flags, struct ipc_namespace *ns,
> +    struct nsproxy *new_nsp);
> #else
> -static inline int copy_ipcs(unsigned long flags, struct task_struct *tsk)
> +static inline int copy_ipcs(unsigned long flags, struct ipc_namespace *ns,
> +    struct nsproxy *new_nsp)
> {
>     return 0;
> }
> Index: linux-2.6.21-rc1/ipc/util.c
> =====
> --- linux-2.6.21-rc1.orig/ipc/util.c 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/ipc/util.c 2007-02-26 10:27:42.000000000 -0800
> @@ -85,27 +85,9 @@ @ err_mem:
>     return ERR_PTR(err);
> }
>
> -int unshare_ipcs(unsigned long unshare_flags, struct ipc_namespace **new_ipc)
> +int copy_ipcs(unsigned long flags, struct ipc_namespace *old_ns,
> +    struct nsproxy *new_nsp)
> {
>     struct ipc_namespace *new;
> -
>     if (unshare_flags & CLONE_NEWIPC) {
>         if (!capable(CAP_SYS_ADMIN))
>             return -EPERM;
> -
>         new = clone_ipc_ns(current->nsproxy->ipc_ns);
>         if (IS_ERR(new))
>             return PTR_ERR(new);
> -
>         *new_ipc = new;
>     }
> -
>     return 0;
> }
> -
> -int copy_ipcs(unsigned long flags, struct task_struct *tsk)
> -{
>     struct ipc_namespace *old_ns = tsk->nsproxy->ipc_ns;
>     struct ipc_namespace *new_ns;
>     int err = 0;
> -
>     @@ -128,7 +110,7 @@ int copy_ipcs(unsigned long flags, struc

```

```

>     goto out;
> }
>
> - tsk->nsp->ipc_ns = new_ns;
> + new_nsp->ipc_ns = new_ns;
> out:
>     put_ipc_ns(old_ns);
>     return err;
> Index: linux-2.6.21-rc1/include/linux/pid_namespace.h
> =====
> --- linux-2.6.21-rc1.orig/include/linux/pid_namespace.h 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/include/linux/pid_namespace.h 2007-02-26 10:27:42.000000000 -0800
> @@ -29,7 +29,8 @@ static inline void get_pid_ns(struct pid
>     kref_get(&ns->kref);
> }
>
> -extern int copy_pid_ns(int flags, struct task_struct *tsk);
> +extern int copy_pid_ns(int flags, struct pid_namespace *ns,
> +    struct nsproxy *nsp);
> extern void free_pid_ns(struct kref *kref);
>
> static inline void put_pid_ns(struct pid_namespace *ns)
> Index: linux-2.6.21-rc1/kernel/pid.c
> =====
> --- linux-2.6.21-rc1.orig/kernel/pid.c 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/kernel/pid.c 2007-02-26 10:27:42.000000000 -0800
> @@ -360,9 +360,9 @@ struct pid *find_ge_pid(int nr)
> }
> EXPORT_SYMBOL_GPL(find_get_pid);
>
> -int copy_pid_ns(int flags, struct task_struct *tsk)
> +int copy_pid_ns(int flags, struct pid_namespace *old_ns,
> +    struct nsproxy *new_nsp)
> {
> -    struct pid_namespace *old_ns = tsk->nsp->ipc_ns;
>     int err = 0;
>
>     if (!old_ns)
> Index: linux-2.6.21-rc1/include/linux/nsproxy.h
> =====
> --- linux-2.6.21-rc1.orig/include/linux/nsproxy.h 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/include/linux/nsproxy.h 2007-02-26 10:27:42.000000000 -0800
> @@ -35,6 +35,8 @@ struct nsproxy *dup_namespaces(struct ns
>     int copy_namespaces(int flags, struct task_struct *tsk);
>     void get_task_namespaces(struct task_struct *tsk);
>     void free_nsproxy(struct nsproxy *ns);
> +    int unshare_nsproxy_namespaces(unsigned long, struct nsproxy **,
> +        struct fs_struct *);

```

```

>
> static inline void put_nsproxy(struct nsproxy *ns)
> {
> Index: linux-2.6.21-rc1/kernel/fork.c
> =====
> --- linux-2.6.21-rc1.orig/kernel/fork.c 2007-02-20 20:32:30.000000000 -0800
> +++ linux-2.6.21-rc1/kernel/fork.c 2007-02-26 10:27:42.000000000 -0800
> @@ -1515,26 +1515,6 @@ static int unshare_fs(unsigned long unsh
> }
>
> /*
> - * Unshare the mnt_namespace structure if it is being shared
> - */
> -static int unshare_mnt_namespace(unsigned long unshare_flags,
> - struct mnt_namespace **new_nsp, struct fs_struct *new_fs)
> -{
> - struct mnt_namespace *ns = current->nsproxy->mnt_ns;
> -
> - if ((unshare_flags & CLONE_NEWNS) && ns) {
> - if (!capable(CAP_SYS_ADMIN))
> - return -EPERM;
> -
> - *new_nsp = dup_mnt_ns(current, new_fs ? new_fs : current->fs);
> - if (!*new_nsp)
> - return -ENOMEM;
> - }
> -
> - return 0;
> -}
> -
> /*
> - * Unsharing of sighand is not supported yet
> - */
> -static int unshare_sighand(unsigned long unshare_flags, struct sighand_struct **new_sighp)
> @@ -1592,16 +1572,6 @@ static int unshare_semundo(unsigned long
> return 0;
> }
>
> -#ifndef CONFIG_IPC_NS
> -static inline int unshare_ipcs(unsigned long flags, struct ipc_namespace **ns)
> -{
> - if (flags & CLONE_NEWIPC)
> - return -EINVAL;
> -
> - return 0;
> -}
> -#endif
> -

```

```

> /*
> * unshare allows a process to 'unshare' part of the process
> * context which was originally shared using clone. copy_*
> @@ -1614,14 +1584,11 @@ asmlinkage long sys_unshare(unsigned lon
> {
>     int err = 0;
>     struct fs_struct *fs, *new_fs = NULL;
> -    struct mnt_namespace *ns, *new_ns = NULL;
>     struct sighand_struct *new_sigh = NULL;
>     struct mm_struct *mm, *new_mm = NULL, *active_mm = NULL;
>     struct files_struct *fd, *new_fd = NULL;
>     struct sem_undo_list *new_ulist = NULL;
>     struct nsproxy *new_nsproxy = NULL, *old_nsproxy = NULL;
> -    struct uts_namespace *uts, *new_uts = NULL;
> -    struct ipc_namespace *ipc, *new_ipc = NULL;
>
>     check_unshare_flags(&unshare_flags);
>
> @@ -1636,36 +1603,24 @@ asmlinkage long sys_unshare(unsigned lon
>     goto bad_unshare_out;
>     if ((err = unshare_fs(unshare_flags, &new_fs)))
>         goto bad_unshare_cleanup_thread;
> -    if ((err = unshare_mnt_namespace(unshare_flags, &new_ns, new_fs)))
> -        goto bad_unshare_cleanup_fs;
>     if ((err = unshare_sighand(unshare_flags, &new_sigh)))
> -        goto bad_unshare_cleanup_ns;
> +        goto bad_unshare_cleanup_fs;
>     if ((err = unshare_vm(unshare_flags, &new_mm)))
> -        goto bad_unshare_cleanup_sigh;
>     if ((err = unshare_fd(unshare_flags, &new_fd)))
> -        goto bad_unshare_cleanup_vm;
>     if ((err = unshare_semundo(unshare_flags, &new_ulist)))
> -        goto bad_unshare_cleanup_fd;
> -    if ((err = unshare_utsname(unshare_flags, &new_uts)))
> -        if ((err = unshare_nsproxy_namespaces(unshare_flags, &new_nsproxy,
> -            new_fs)))
> -            goto bad_unshare_cleanup_semundo;
> -    if ((err = unshare_ipcs(unshare_flags, &new_ipc)))
> -        goto bad_unshare_cleanup_uts;
>
> -    if (new_ns || new_uts || new_ipc) {
> -        old_nsproxy = current->nsproxy;
> -        new_nsproxy = dup_namespaces(old_nsproxy);
> -        if (!new_nsproxy) {
> -            err = -ENOMEM;
> -            goto bad_unshare_cleanup_ipc;
> -        }
> -    }

```

```

> -
> - if (new_fs || new_ns || new_mm || new_fd || new_ulist ||
> -   new_uts || new_ipc) {
> + if (new_fs || new_mm || new_fd || new_ulist || new_nsproxy) {
>
>   task_lock(current);
>
>   if (new_nsproxy) {
> +   old_nsproxy = current->nsproxy;
>   current->nsproxy = new_nsproxy;
>   new_nsproxy = old_nsproxy;
> }
> @@ -1676,12 +1631,6 @@ asmlinkage long sys_unshare(unsigned long
>   new_fs = fs;
> }
>
> - if (new_ns) {
> -   ns = current->nsproxy->mnt_ns;
> -   current->nsproxy->mnt_ns = new_ns;
> -   new_ns = ns;
> - }
> -
> - if (new_mm) {
> -   mm = current->mm;
> -   active_mm = current->active_mm;
> @@ -1697,32 +1646,12 @@ asmlinkage long sys_unshare(unsigned long
>   new_fd = fd;
> }
>
> - if (new_uts) {
> -   uts = current->nsproxy->uts_ns;
> -   current->nsproxy->uts_ns = new_uts;
> -   new_uts = uts;
> - }
> -
> - if (new_ipc) {
> -   ipc = current->nsproxy->ipc_ns;
> -   current->nsproxy->ipc_ns = new_ipc;
> -   new_ipc = ipc;
> - }
> -
>   task_unlock(current);
> }
>
>   if (new_nsproxy)
>     put_nsproxy(new_nsproxy);
>
> -bad_unshare_cleanup_ipc:

```

```
> - if (new_ipc)
> - put_ipc_ns(new_ipc);
> -
> -bad_unshare_cleanup_uts:
> - if (new_uts)
> - put_uts_ns(new_uts);
> -
> bad_unshare_cleanup_semundo:
> bad_unshare_cleanup_fd:
> if (new_fd)
> @@ -1737,10 +1666,6 @@ bad_unshare_cleanup_sigh:
>   if (atomic_dec_and_test(&new_sigh->count))
>     kmem_cache_free(sighand_cachep, new_sigh);
>
> -bad_unshare_cleanup_ns:
> - if (new_ns)
> - put_mnt_ns(new_ns);
> -
> bad_unshare_cleanup_fs:
> if (new_fs)
>   put_fs_struct(new_fs);
>
>
> _____
```

> Containers mailing list
> Containers@lists.osdl.org
> <https://lists.osdl.org/mailman/listinfo/containers>

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
