
Subject: [PATCH 1/5] statically initialize struct pid for swapper
Posted by [Sukadev Bhattiprolu](#) on Thu, 01 Mar 2007 03:56:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Subject: [PATCH 1/5] statically initialize struct pid for swapper

Statically initialize a struct pid for the swapper process (pid_t == 0) and attach it to init_task. This is needed so task_pid(), task_pgrp() and task_session() interfaces work on the swapper process also.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Cc: Cedric Le Goater <clg@fr.ibm.com>
Cc: Dave Hansen <haveblue@us.ibm.com>
Cc: Serge Hallyn <serue@us.ibm.com>
Cc: Eric Biederman <ebiederm@xmission.com>
Cc: Herbert Poetzl <herbert@13thfloor.at>
Cc: <containers@lists.osdl.org>
Signed-off-by: Andrew Morton <akpm@osdl.org>

```
include/linux/init_task.h | 27 ++++++
include/linux/pid.h       |  2 ++
kernel/pid.c              |  2 ++
3 files changed, 31 insertions(+)
```

Index: lx26-20-mm2c/include/linux/init_task.h

```
=====
--- lx26-20-mm2c.orig/include/linux/init_task.h 2007-02-28 15:47:44.000000000 -0800
+++ lx26-20-mm2c/include/linux/init_task.h 2007-02-28 15:48:07.000000000 -0800
@@ -96,6 +96,28 @@ extern struct group_info init_groups;
#define INIT_PREEMPT_RCU
#endif

+#define INIT_STRUCT_PID { \
+ .count = ATOMIC_INIT(1), \
+ .nr = 0, \
+ /* Don't put this struct pid in pid_hash */ \
+ .pid_chain = { .next = NULL, .pprev = NULL }, \
+ .tasks = { \
+ { .first = &init_task.pids[PIDTYPE_PID].node }, \
+ { .first = &init_task.pids[PIDTYPE_PGID].node }, \
+ { .first = &init_task.pids[PIDTYPE_SID].node }, \
+ }, \
+ .rcu = RCU_HEAD_INIT, \
+ }
+
+#define INIT_PID_LINK(type) \
```

```

+{      \
+ .node = {      \
+ .next = NULL,      \
+ .pprev = &init_struct_pid.tasks[type].first, \
+ },      \
+ .pid = &init_struct_pid, \
+}
+
/*
 * INIT_TASK is used to set up the first task table, touch at
 * your own risk!. Base=0, limit=0x1fffff (=2MB)
@@ -145,6 +167,11 @@ extern struct group_info init_groups;
.cpu_timers = INIT_CPU_TIMERS(tsk.cpu_timers), \
.fs_excl = ATOMIC_INIT(0), \
.pi_lock = SPIN_LOCK_UNLOCKED, \
+ .pids = {      \
+ [PIDTYPE_PID] = INIT_PID_LINK(PIDTYPE_PID), \
+ [PIDTYPE_PGID] = INIT_PID_LINK(PIDTYPE_PGID), \
+ [PIDTYPE_SID] = INIT_PID_LINK(PIDTYPE_SID), \
+ },      \
INIT_TRACE_IRQFLAGS      \
INIT_LOCKDEP      \
}

```

Index: lx26-20-mm2c/include/linux/pid.h

```

=====
--- lx26-20-mm2c.orig/include/linux/pid.h 2007-02-28 15:48:07.000000000 -0800
+++ lx26-20-mm2c/include/linux/pid.h 2007-02-28 15:48:07.000000000 -0800
@@ -51,6 +51,8 @@ struct pid
    struct rcu_head rcu;
};

```

```

+extern struct pid init_struct_pid;
+
struct pid_link
{

```

```

    struct hlist_node node;

```

Index: lx26-20-mm2c/kernel/pid.c

```

=====
--- lx26-20-mm2c.orig/kernel/pid.c 2007-02-28 15:48:07.000000000 -0800
+++ lx26-20-mm2c/kernel/pid.c 2007-02-28 15:48:07.000000000 -0800
@@ -27,11 +27,13 @@
#include <linux/bootmem.h>
#include <linux/hash.h>
#include <linux/pid_namespace.h>
+#include <linux/init_task.h>

```

```

#define pid_hashfn(nr) hash_long((unsigned long)nr, pidhash_shift)
static struct hlist_head *pid_hash;

```

```
static int pidhash_shift;  
static struct kmem_cache *pid_cache;  
+struct pid init_struct_pid = INIT_STRUCT_PID;  
  
int pid_max = PID_MAX_DEFAULT;
```

Containers mailing list

Containers@lists.osdl.org

<https://lists.osdl.org/mailman/listinfo/containers>
