
Subject: Re: [RFC][PATCH 1/7] Resource counters
Posted by [ebiederm](#) on Thu, 15 Mar 2007 16:51:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

Pavel Emelianov <xemul@sw.ru> writes:

> Srivatsa Vaddagiri wrote:
>> On Tue, Mar 13, 2007 at 06:41:05PM +0300, Pavel Emelianov wrote:
>>>> right, but atomic ops have much less impact on most
>>>> architectures than locks :)
>>> Right. But atomic_add_unless() is slower as it is
>>> essentially a loop. See my previous letter in this sub-thread.
>>
>> If I am not mistaken, you shouldn't loop in normal cases, which means
>> it boils down to a atomic_read() + atomic_cmpxch()
>>
>>
>
> So does the lock - in a normal case (when it's not
> heavily contented) it will boil down to atomic_dec_and_test().
>
> Nevertheless, making charge like in this patchset
> requires two atomic ops with atomic_xxx and only
> one with spin_lock().

To be very clear. If you care about optimization cache lines and lock hold times (to keep contention down) are the important things.

With spin locks you have to be a little more careful to put them on the same cache line as your data and to keep should hold times short. With atomic ops you get that automatically.

There is really no significant advantage in either approach. The number of atomic ops doesn't matter. You bring in the cache line and manipulate it. The expensive part is acquiring the cache line exclusively. This is expensive even if things are never contended but there are many users.

Sorry for the rant, but I just wanted to set the record straight. spin_locks vs atomic ops is a largely meaningless debate.

Eric

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
