
Posted by [kernelring](#) on Thu, 23 Feb 2006 22:52:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
[root@localhost ~]# iptables -L
Chain INPUT (policy ACCEPT)
target    prot opt source                destination
RH-Firewall-1-INPUT  all  --  anywhere              anywhere

Chain FORWARD (policy ACCEPT)
target    prot opt source                destination
RH-Firewall-1-INPUT  all  --  anywhere              anywhere

Chain OUTPUT (policy ACCEPT)
target    prot opt source                destination

Chain RH-Firewall-1-INPUT (2 references)
target    prot opt source                destination
ACCEPT    all  --  anywhere              anywhere
ACCEPT    icmp --  anywhere              anywhere          icmp any
ACCEPT    ipv6-crypt-- anywhere          anywhere
ACCEPT    ipv6-auth-- anywhere          anywhere
ACCEPT    udp  --  anywhere              224.0.0.251          udp dpt:5353
ACCEPT    udp  --  anywhere              anywhere              udp dpt:ipp
ACCEPT    all  --  anywhere              anywhere              state RELATED,ESTABLISHED
ACCEPT    tcp  --  anywhere              anywhere              state NEW tcp dpt:ssh
ACCEPT    tcp  --  anywhere              anywhere              state NEW tcp dpt:http
ACCEPT    tcp  --  anywhere              anywhere              state NEW tcp dpt:ftp
ACCEPT    tcp  --  anywhere              anywhere              state NEW tcp dpt:smtp
REJECT    all  --  anywhere              anywhere              reject-with icmp-host-prohibited
```