

---

Subject: [RFC][PATCH 02/14] Move alloc\_pid call to copy\_process  
Posted by [Sukadev Bhattiprolu](#) on Wed, 21 Mar 2007 03:18:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>  
Subject: [RFC][PATCH 02/14] Move alloc\_pid call to copy\_process

Move alloc\_pid() into copy\_process(). This will help in  
code to support cloning of pid namespace.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

---

kernel/fork.c | 31 ++++++-----  
1 file changed, 22 insertions(+), 9 deletions(-)

Index: lx26-21-rc3-mm2/kernel/fork.c

```
=====
--- lx26-21-rc3-mm2.orig/kernel/fork.c 2007-03-20 15:55:52.000000000 -0700
+++ lx26-21-rc3-mm2/kernel/fork.c 2007-03-20 20:17:05.000000000 -0700
@@ -952,6 +952,11 @@ static inline void rcu_task_init(struct
 static inline void rcu_task_init(struct task_struct *p) {}
#endif
```

```
+enum idle_process {
+ COPY_NON_IDLE_PROCESS,
+ COPY_IDLE_PROCESS,
+};
+
/*
 * This creates a new process as a copy of the old one,
 * but does not actually start it yet.
@@ -966,10 +971,11 @@ static struct task_struct *copy_process(
    unsigned long stack_size,
    int __user *parent_tidptr,
    int __user *child_tidptr,
- struct pid *pid)
+ enum idle_process type)
{
    int retval;
    struct task_struct *p = NULL;
+ struct pid *pid;

    if ((clone_flags & (CLONE_NEWNS|CLONE_FS)) == (CLONE_NEWNS|CLONE_FS))
        return ERR_PTR(-EINVAL);
@@ -1030,6 +1036,13 @@ static struct task_struct *copy_process(
    if (p->binfo && !try_module_get(p->binfo->module))
        goto bad_fork_cleanup_put_domain;
```

```

+ if (unlikely(type == COPY_IDLE_PROCESS))
+ pid = &init_struct_pid;
+ else {
+ pid = alloc_pid();
+ if (!pid)
+ goto bad_fork_put_binfmt_module;
+ }
p->did_exec = 0;
delayacct_tsk_init(p); /* Must remain after dup_task_struct() */
copy_flags(clone_flags, p);
@@ -1306,6 +1319,9 @@ @ @ bad_fork_cleanup_cpuset:
#endif
cpuset_exit(p);
delayacct_tsk_free(p);
+ if (pid != &init_struct_pid)
+ free_pid(pid);
+bad_fork_put_binfmt_module:
if (p->binfmt)
 module_put(p->binfmt->module);
bad_fork_cleanup_put_domain:
@@ -1332,7 +1348,7 @@ struct task_struct * __cpuinit fork_idle
struct pt_regs regs;

task = copy_process(CLONE_VM, 0, idle_regs(&regs), 0, NULL, NULL,
- &init_struct_pid);
+ COPY_IDLE_PROCESS);
if (!IS_ERR(task))
 init_idle(task, cpu);

@@ -1353,14 +1369,10 @@ long do_fork(unsigned long clone_flags,
int __user *child_tidptr)
{
struct task_struct *p;
- struct pid *pid = alloc_pid();
long nr;

- if (!pid)
- return -EAGAIN;
- nr = pid->nr;
-
- p = copy_process(clone_flags, stack_start, regs, stack_size, parent_tidptr, child_tidptr, pid);
+ p = copy_process(clone_flags, stack_start, regs, stack_size,
+ parent_tidptr, child_tidptr, COPY_NON_IDLE_PROCESS);
/*
 * Do this prior waking up the new thread - the thread pointer
 * might get invalid after that point, if the thread exits quickly.
@@ -1368,6 +1380,8 @@ long do_fork(unsigned long clone_flags,
if (!IS_ERR(p)) {

```

```
struct completion vfork;

+ nr = pid_nr(task_pid(p));
+
if (clone_flags & CLONE_VFORK) {
    p->vfork_done = &vfork;
    init_completion(&vfork);
@@ -1397,7 +1411,6 @@ long do_fork(unsigned long clone_flags,
    tracehook_report_vfork_done(p, nr);
}
} else {
- free_pid(pid);
nr = PTR_ERR(p);
}
return nr;
```

---

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---