

---

Subject: Re: [RFC][PATCH 13/14] Define CLONE\_NEWPID flag  
Posted by [ebiederm](#) on Wed, 21 Mar 2007 17:30:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Cedric Le Goater <clg@fr.ibm.com> writes:

```
> sukadev@us.ibm.com wrote:
>> This was discussed on containers and we thought it would be useful
>> to reserve this flag.
>> ---
>>
>> From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
>> Subject: [RFC][PATCH 13/14] Define CLONE_NEWPID flag
>>
>> Define CLONE_NEWPID flag that will be used to clone pid namespaces.
>>
>> Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
>> ---
>> include/linux/sched.h | 1 +
>> 1 file changed, 1 insertion(+)
>>
>> Index: 2.6.21-rc3-mm2/include/linux/sched.h
>> =====
>> --- 2.6.21-rc3-mm2.orig/include/linux/sched.h
>> +++ 2.6.21-rc3-mm2/include/linux/sched.h
>> @@ -26,6 +26,7 @@
>> #define CLONE_STOPPED 0x02000000 /* Start in stopped state */
>> #define CLONE_NEWUTS 0x04000000 /* New utsname group? */
>> #define CLONE_NEWIPC 0x08000000 /* New ipcns */
>> +#define CLONE_NEWPID 0x10000000 /* New pid namespace */
>>
>> /*
>>  * Scheduling policies
>>
>
> I think we can send this one to -mm.
```

Sounds good to me.

Eric

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---