
Subject: Re: [RFC][PATCH 13/14] Define CLONE_NEWPID flag
Posted by [Herbert Poetzl](#) on Fri, 23 Mar 2007 01:30:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Wed, Mar 21, 2007 at 11:30:14AM -0600, Eric W. Biederman wrote:

> Cedric Le Goater <clg@fr.ibm.com> writes:

>

> > sukadev@us.ibm.com wrote:

> >> This was discussed on containers and we thought it would be useful

> >> to reserve this flag.

> >> ---

> >>

> >> From: Sukadev Bhattiprolu <sukadev@us.ibm.com>

> >> Subject: [RFC][PATCH 13/14] Define CLONE_NEWPID flag

> >>

> >> Define CLONE_NEWPID flag that will be used to clone pid namespaces.

> >>

> >> Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

> >> ---

> >> include/linux/sched.h | 1 +

> >> 1 file changed, 1 insertion(+)

> >>

> >> Index: 2.6.21-rc3-mm2/include/linux/sched.h

> >> =====

> >> --- 2.6.21-rc3-mm2.orig/include/linux/sched.h

> >> +++ 2.6.21-rc3-mm2/include/linux/sched.h

> >> @@ -26,6 +26,7 @@

> >> #define CLONE_STOPPED 0x02000000 /* Start in stopped state */

> >> #define CLONE_NEWUTS 0x04000000 /* New utsname group? */

> >> #define CLONE_NEWIPC 0x08000000 /* New ipc */

> >> + #define CLONE_NEWPID 0x10000000 /* New pid namespace */

> >>

> >> /*

> >> * Scheduling policies

> >>

> >

> > I think we can send this one to -mm.

>

> Sounds good to me.

yep, we won't get around it :)

i.e. I'm fine with this

best,
Herbert

> Eric

>

- > Containers mailing list
- > Containers@lists.linux-foundation.org
- > <https://lists.linux-foundation.org/mailman/listinfo/containers>

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
