

---

Subject: Re: [ckrm-tech] [PATCH 7/7] containers (V7): Container interface to nsproxy subsystem

Posted by [Paul Menage](#) on Thu, 05 Apr 2007 07:31:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On 4/5/07, Pavel Emelianov <xemul@sw.ru> wrote:

> > That sort of implies that we need to split the container fork  
> > mechanism up into two parts, one early to add the refcount to the  
> > parent's container\_group, and one late to handle the callbacks if  
> > desired. But that should be pretty straightforward.  
>  
> Splitting sounds good. I'll try to prepare an appropriate patch.

I just did this in my tree. It's a pretty simple patch, but it's a bit ugly.

> > 2. early need for rss containers (earlier than initcalls  
> > are called)  
> >  
> > Couldn't you copy the way cpuset\_init\_early() works?  
>  
> I did this in my previous version of rss container,  
> but I think it can be generalized. This is initialization  
> code that must not be nice-looking, but if it can be it  
> should be.  
>

Agreed, nice looking code is better :-)

Did you have any suggestions, other than moving container\_init()  
earlier in the boot process?

Paul

---

Containers mailing list

[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---